



**Northwest Four States (NWF)**  
**Version 9.30.20.1**  
**LSR FORM**

[Contents](#)

Section ADMINISTRATIVE .....	6
CCNA - Customer Carrier Name Abbreviation.....	6
PON – Purchase Order Number.....	6
VER – Version.....	7
LOCQTY – Location Quantity .....	7
HTQTY – Hunt Group Quantity.....	8
AN – Account Number .....	8
ATN – Account Telephone Number.....	8
D/TSENT – Date/ time sent.....	9
DSPTCH – Dispatch Required .....	11
DDD – Desired Due Date .....	11
APPTIME – Appointment Time - DDD.....	11
DDDO- Desired Due Date Out.....	12
NOR – Number of Requests .....	13
APPTIME- Appointment Time - DDDO.....	13
DFDT – Desired Frame Due Time .....	14
PROJECT – Project Identification.....	15
PROJINDR – Project Indicator.....	15
CHC-Coordinated Hot Cut .....	16
REQTYP – Request Type .....	16
P – Product Arrangement.....	17
SLI –Sub Loop Indicator .....	17
ACT – Activity .....	18
ADET – Activity Detail .....	20
SUP – Supplement Type.....	20

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

EXP – Expedite.....	23
APPTRESID – Appointment Response Identifier.....	24
CC – Company Code .....	24
NNSP – New Network Service Provider Identification .....	25
ONSP – Old Network Service Provider.....	25
AENG – Additional Engineering.....	26
SCA – special Construction Authorization.....	26
AGAUTH – Agency Authorization Status .....	26
ACTL – Access Customer Terminal Location .....	27
SACTL – Secondary Access Customer Terminal Location .....	28
LST – Local service termination.....	28
LSO – Local Service Office.....	29
TOS – Type of Service .....	30
AC- Account Structure Change .....	33
SPEC- Service and Product Enhancement Code .....	34
NC- Network Channel Code .....	34
NCI – Network Channel Interface Code.....	36
SENCI – Secondary Network Channel Interface Code .....	36
RPON – Related PON.....	37
RPVER – Related PON Version.....	37
RORD – Related Order Number.....	38
LSP AUTH – Local Service Provider Authorization .....	38
LSP AUTH DATE – Local Service Provider Authorization date .....	38
LSP AUTH NAME – Local Service Provider Authorization Name .....	39
LSPAN – Local Service Provider Authorization Number.....	39
CUST – Customer Name .....	39

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

NPDI – Number Portability Direction .....	39
<b>BILL Section.....</b>	<b>41</b>
BI1 – Billing Account Identifier 1 .....	41
BAN1 – Billing Account Number 1 .....	43
BI2 – Billing Account Number Identifier 2.....	44
BAN2 – Billing Account Number 2 .....	45
ACNA – Access Customer Name Abbreviation.....	46
EBD – Effective Billing Date .....	46
NRI.....	47
BILLNM – Billing Name.....	47
SBILLNM – Secondary Billing Name .....	47
TE – Tax Exempt.....	47
STREET- Street Bill Address .....	47
FLOOR – Bill Floor.....	47
ROOM/MAIL STOP- Bill Room/Mail stop .....	48
CITY-Bill City .....	48
STATE – Bill State .....	48
ZIP – Bill ZIP/Postal Code .....	48
BILLCON – Billing Contact.....	49
TEL NO – Bill Contact Telephone Number .....	49
<b>Contact Section .....</b>	<b>49</b>
INIT – Initiator Identification .....	49
TEL NO – Initiator Telephone Number.....	49
EMAIL – Electronic Mail .....	50
FAX NO – Facsimile Number .....	50
IMPCON – Implementation Contact .....	50

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

TEL NO – Implementation Contact Telephone Number.....	51
PAGER – Implementation Contact Pager Number .....	51
ALT IMPCON – Alternate Implementation Contact.....	52
TEL NO – Alternate Implementation Contact Telephone Number.....	52
PAGER – Alternate Implementation Contact Pager Number.....	53
REMARKS Section .....	53
REMARKS – Remarks .....	53
APPENDIX A: ERROR MESSAGE TABLE.....	54
APPENDIX B – CHANGE CONTROL LOG .....	68

# NWF Local Business Rules

Version: 9.30.20.1

## LSR FORM

Effective: 05/01/2020

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
<b>Section ADMINISTRATIVE</b>							
001	CCNA - Customer Carrier Name Abbreviation	Identifies the COMMON LANGUAGE IAC code for the customer	A	3-3		<p>1. If not populated, then return error: NWFLSR001 CUSTOMER CARRIER NAME ABBREVIATION REQUIRED</p> <p>2. If populated and vv = CUS and CC is not populated, then return error: NWFLSR002 CCNA OF 'CUS' REQUIRES AN ENTRY IN CC</p> <p>3. If populated and dl not = 3 characters, then return error: NWFLSR003 CUSTOMER CARRIER NAME ABBREVIATION DATA MUST BE 3 CHARACTERS</p> <p>4. If populated and dc not = alpha, then return error: NWFLSR004 CUSTOMER CARRIER NAME ABBREVIATION DATA MUST BE ALPHABETIC</p> <p>5. If populated and vv = CUS and position 2 of TOS = F, P, then return error: NWFLSR319 VALUE OF CUS PROHIBITED WITH TOS SELECTED</p> <p>6. If populated and vv = CUS and position 2 of PS.LTOS = P, then return error: NWFLSR033 CCNA VALID VALUE = CUS IS PROHIBITED</p> <p><b>Note:</b></p> <p>1. The format and structure of this field is defined by ATIS in document 0300251, Codes for Identification of Service Providers for Information Exchange or by COMMON LANGUAGE in BR 751-100-112.</p> <p>2. For an occasional customer who has not and probably will not obtain a CCNA, enter 'CUS' in this field</p> <p>3. Valid IAC codes are outlined maintained by Telcordia Technologies</p>	R
002	PON – Purchase Order Number	Identifies the customer's unique purchase order or requisition number that authorizes the issuance of this request or supplement.	AN	4-16		<p>1. If populated and (dl &lt; 4 or &gt; 16), then return error: NWFLSR006 PURCHASE ORDER NUMBER MUST BE 4 TO16 CHARACTERS</p> <p>2. If not populated, then return error: NWFLSR007 PURCHASE ORDER NUMBER IS REQUIRED</p> <p>3. If populated and special character not = hyphen, then return error: NWFLSR008 ONLY SPECIAL CHARACTER ALLOWED IN PON IS HYPHEN</p>	R

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						4.If populated and vv contains lower case alpha characters, return error NWFLSR213 PON CANNOT CONTAIN LOWER CASE ALPHA CHARACTERS	
003	BOPI					<b>FIELD NOT SUPPORTED</b>	P
004	VER – Version	Identifies the customer's version number.	N	2-2	00-99	1. If not populated and SUP is populated, then return error: NWFLSR009 VERSION REQUIRED WITH SUP 2. If populated and dl not = 2 characters, then return error: NWFLSR010 VERSION DATA LENGTH MUST BE 2 CHARACTERS 3. If populated and dc does not = numeric, return error NWFLSR180 VER MUST BE NUMERIC 4. If VER is populated and SUP is populated and PON/VER/CCNA already exists in database (this means order already exist) and current status = 'TRANSMITTED', 'TRANSMISSION_FAILED', 'TRANSMISSION_SUSPENDED', 'TRANSLATION FAILED', 'TRANSLATION FAILED NOTIFIED', 'TRANSLATION FAILED NOT NOTIFIED' and message category = '850' or '860' or 'LSR REQUEST' then return error NWFLSR454 VER MUST BE INCREMENTED ON SUP ORDERS 5. If not populated, return error NWFLSR037 VERSION REQUIRED  Note: Expedite Field is not actionable on initial version of PON unless the Appointment Scheduler has provided a date that needs to be improved. APPTRESID field must be populated with the reservation number.	R
005	LOCQTY – Location Quantity	Identifies the number of service locations for the service requested.	N	1-3		1. If not populated and REQTYP does not equal CB and ACT does not equal V, then return error: NWFLSR011 LOCATION QUANTITY IS REQUIRED 2. If populated and dc not = numeric, then return error: NWFLSR012 LOCATION QUANTITY MUST BE NUMERIC CHARACTERS 3. If populated and dl > 3, then return error: NWFLSR338 LOCATION QUANTITY MAY NOT EXCEED 3 NUMERIC CHARACTERS	C

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
006	HTQTY – Hunt Group Quantity	Identifies the quantity of hunt telephone numbers associated with this service request.	N	2-2		<p>1. If populated and REQTYP does not = DB, EB, NB, PB, QB and ACT does not = C, M, N, T, V, then return error: NWFLSR013 HTQTY IS PROHIBITED FOR REQTYP/ACT</p> <p>2. If not populated and HGI form is present, then return error: NWFLSR053 HTQTY IS REQUIRED</p> <p>3. If populated and HGI form is not present, then return error: NWFLSR055 HTQTY IS PROHIBITED</p> <p>4. If populated and PS.SDP = C, D, E, F, G, then return error: NWFLSR066 HTQTY IS PROHIBITED</p> <p>5. If populated and (dl &gt; 2 or dc not = numeric), then return error: NWFLSR070 HTQTY VALID VALUE = 2 NUMERIC</p>	O
007	AN – Account Number	Identifies the main account number assigned by the NSP.	N	10		<p>1. If populated and REQTYP does not = CB and ACT does not = V, return error NWFLSR483 AN PROHIBITED</p> <p>2. If populated and dl does not = 10 or dc is not numeric, return error NWFLSR484 AN VALID VALUE = 10 DIGIT NUMERIC</p> <p>3. If not populated and REQTYP = CB and ACT = V, return error FTRNP532 AN REQUIRED</p> <p><b>Note:</b>  The CSR ATN should be populated in the AN field when REQTYP=CB and ACT=V.</p>	O
008	ATN – Account Telephone Number	Identifies the account telephone number assigned by the NSP.	AN	1 or 10	N, XXXXXXXXXXXX	<p>1. If populated and REQTYP = AB, BB, CB, JB, then return error: NWFLSR014 ATN NOT ALLOWED FOR REQTYP</p> <p>2. If not populated and REQTYP = DB and ACT = V and PS.RL is populated and EU.EATN is not populated, then return error: NWFLSR108 ATN IS REQUIRED</p> <p>3. If not populated and REQTYP = DB,EB and ACT = N, then return error: NWFLSR109 ATN IS REQUIRED</p> <p>4. If not populated and REQTYP = DB,EB and ACT = T or (ACT = C and PS.LNA or RS.LNA = T), then return error: NWFLSR112 ATN IS REQUIRED</p>	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						<p>5. If populated and vv = N and (PS.TNS or RS.TNS not = N on any occurrence), then return error: NWFLSR118 ATN VALID VALUE = N IS PROHIBITED</p> <p>6. If populated and vv not = DL.LTN and AC = A, then return error: NWFLSR120 ATN MUST EQUAL LTN WHEN AC = A</p> <p>7. If not populated and AC = A, then return error: NWFLSR121 ATN IS REQUIRED</p> <p>8. If populated and vv not = N and (dl not = 10 or dc not = numeric), then return error: NWFLSR131 ATN VALID VALUE = N OR 10 NUMERIC</p> <p>9. If populated and vv = N and ACT does not = N, return error NWFLSR467 ATN MUST BE 10 DIGIT NUMERIC</p>	
009	AAN					<b>FIELD NOT SUPPORTED</b>	P
010	NATN					<b>FIELD NOT SUPPORTED</b>	P
011	NAN					<b>FIELD NOT SUPPORTED</b>	P
012	SC					<b>FIELD NOT SUPPORTED</b>	P
013	PG_OF_					<b>FIELD NOT SUPPORTED</b>	P
014	RESID					<b>FIELD NOT SUPPORTED</b>	P
015	D/TSENT – Date/ time sent	Identifies the date and time the transaction is sent.	VFO / LSR-UOM N	VFO / LSR-UOM N 16-16	<p><b>VFO/LSR-UOM Format:</b></p> <p>Two Digit Century (00-99)  Two Digit Year (00-99)  Two Digit Month (01-12)  Two Digit Day (01-31)  Two Digit hour (00-23)  : (colon)  Two Digit Minute (00-59)  : (colon)  Two Digit Second (00-59)</p> <p><b>EDI Format</b></p> <p>Two Digit Century (00-99)  Two Digit Year (00-99)  Two Digit Month (01-12)</p>	<p>1. Required if REQTYP does not=CB or ACT does not=V. Otherwise if not populated return error NWFLSR206 DATE/TIME SENT IS REQUIRED</p> <p><b>** Note: Optional when the first position of the REQTYP field is "C" and the order is for a simple port, otherwise required.</b></p> <p>2. If populated and dc contains : (colon) and dl not = 16, then return error: NWFLSR445 DATE/TIME SENT MUST BE 16 CHARACTERS</p> <p>3. If populated and dc contains : (colon) and positions 5, 6 (MM) not = 01-12, then return error: NWFLSR446 DATE/TIME SENT MONTH MUST BE 01-12</p> <p>4. If populated and dc contains : (colon) and positions 7, 8 not = 01-31, then return error: NWFLSR447 DATE/TIME SENT DAY MUST BE 01 – 31</p>	R

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
					Two Digit Day (01-31) Two Digit hour (01-12) Two Digit Minute (00-59) AM or PM	<p>5. If populated and dc contains : (colon) and positions 9,10 not = 00-23, then return error: NWFLSR448 DATE/TIME SENT HOUR MUST BE 00-23</p> <p>6. If populated and dc contains : (colon) and positions 12, 13 not = 00-59, then return error: NWFLSR449 DATE/TIME SENT MINUTES MUST BE 00-59</p> <p>7. If populated and dc contains : (colon) and positions 15, 16 not = 00-59, then return error: NWFLSR435 DATE/TIME SENT SECONDS MUST BE 00-59</p> <p>8. If populated and dc doesn't contain : (colon) and dl not = 14, then return error: NWFLSR207 DATE/TIME SENT MUST BE 14 CHARACTERS</p> <p>9. If populated and dc doesn't contain : (colon) and positions 5, 6 (MM) not = 01-12, then return error: NWFLSR208 DATE/TIME SENT MONTH MUST BE 01-12</p> <p>10. If populated and dc doesn't contain : (colon) and positions 7, 8 not = 01-31, then return error: NWFLSR209 DATE/TIME SENT DAY MUST BE 01 – 31</p> <p>11. If populated and dc doesn't contain : (colon) and positions 9,10 not = 01-12, then return error: NWFLSR210 DATE/TIME SENT HOUR MUST BE 01-12</p> <p>12. If populated and dc doesn't contain : (colon) and positions 11, 12 not = 00-59, then return error: NWFLSR211 DATE/TIME SENT MINUTES MUST BE 00-59</p> <p>13. If populated and dc doesn't contain : (colon) and dc not = numeric in positions 1 through 12, then return error: NWFLSR212 DATE/TIME SENT MUST BE NUMERIC IN POSITION 1-12</p>	

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						14. If populated and dc doesn't contain : (colon) and position 13 and 14 not = to AM or PM, then return error: NWFLSR219 AM OR PM REQUIRED IN POSITIONS 13 AND 14 ON D/TSENT  15. If populated and dc contains : (colon) and dc not = numeric in positions 1 through 8, then return error: NWFLSR295 DATE/TIME SENT MUST BE NUMERIC IN POSITION 1-8	
016	DSPTCH – Dispatch Required	Indicates a dispatch is required.	A	1	Y	1. If populated and vv does not = Y, return error NWFLSR473 DSPTCH VALID VALUE = Y  2. If populated and REQTYP does not = AB or BB and TNT field not populated, return error NWFLSR326 DSPTCH PROHIBITED	O
017	DDD – Desired Due Date	Identifies the customer's desired due date.	N	8-8	CCYYMMDD CC – 00-99 YY – 00-99 MM – 01-12 DD – 01-31	1. If populated and SUP not = 1 and DDD is not > or equal to current date (characters 1-8 of D/TSENT), then return error: NWFLSR015 DDD MUST BE GREATER THAN OR EQUAL TO CURRENT DATE  2. If populated and dl not = 8 characters, then return error: NWFLSR016 DESIRED DUE DATE LENGTH MUST BE 8 CHARACTERS  3. If populated and dc not = numeric, then return error: NWFLSR017 DESIRED DUE DATE DATA MUST BE NUMERIC  4. If populated and positions 5-6 (MM) are not 01-12, then return error: NWFLSR018 DESIRED DUE DATE MONTH MUST BE 01 - 12  5. If populated and positions 7-8 (DD) are not 01-31, then return error: NWFLSR019 DESIRED DUE DATE DAY MUST BE 01 TO 31  6. If not populated, then return error: NWFLSR020 DESIRED DUE DATE IS REQUIRED  <b>Note:</b> 1) DDD cannot exceed 60 calendar days 2) DDD is not guaranteed. CDD will be provided when FOC is returned.	R
018	APPTIME – Appointment Time - DDD	Identifies the time period during which the end user's service will be established	AN -:	17-17	Format 08:00:00-12:00:00; 13:00:00-17:00:00;	1. If populated and dc contains : (colon) and vv not = 08:00:00-12:00:00, 13:00:00-17:00:00, then return error: NWFLSR436 APPOINTMENT TIME MAY ONLY BE 08:00:00-12:00:00, 13:00:00-17:00:00	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
		and/or a technician is scheduled to visit the end user's premises.					
019	DDDO-Desired Due Date Out	Identifies the customer's desired due date for suspension or disconnection of service.	N	8- 8	CCYYMMDD CC – 00-99 YY – 00-99 MM – 01-12 DD – 01-31	<p>1. If populated and SUP is not populated and DDDO is not &gt; or equal to current date (characters 1-8 of D/TSENT), then return error: NWFLSR005 DESIRED DUE DATE OR DESIRED DUE DATE OUT MUST BE GREATER THAN OR EQUAL TO CURRENT DATE</p> <p>2. If populated and vv is not in format CCYYMMDD, then return error: NWFLSR022 DESIRED DUE DATE OUT VALID DATE FORMAT CCYYMMDD REQUIRED</p> <p>3. If populated and dl not = 8 characters, then return error: NWFLSR023 DESIRED DUE DATE OUT DATA LENGTH MUST BE 8 CHARACTERS</p> <p>4. If populated and dc not = numeric, then return error: NWFLSR024 DESIRED DUE DATE OUT DATA MUST BE NUMERIC</p> <p>5. If populated and positions 5-6 (MM) not = 01-12, then return error: NWFLSR025 DESIRED DUE DATE OUT MONTH MUST BE 01 - 12</p> <p>6. If populated and positions 7-8 (DD) not = 01-31, then return error: NWFLSR026 DESIRED DUE DATE OUT DAY MUST BE 01 - 31</p> <p>7. If populated and REQTYP = AB, BB, CB or JB, then return error: NWFLSR320 DDDO NOT ALLOWED FOR REQTYP</p> <p>8. If populated and (PS.LNA or RS. LNA = T) and DDDO &gt; DDD and EU.STATE not = CT, then return error: NWFLSR159 DDDO MUST BE LESS THAN OR EQUAL TO DDD</p> <p>9. If populated and position 1 of REQTYP = D, E and ACT = T and position 4 of TOS = F and DDDO &gt; DDD, then return error: NWFLSR162 DDDO MUST BE LESS THAN OR EQUAL TO DDD</p>	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						<p>10. If populated and (position 1 of REQTYP not = D, E, N, P, Q or ACT not = T) and (ACT not = C or (PS.LNA or RS.LNA not = T)), then return error: NWFLSR168 DDDO IS PROHIBITED</p> <p>11. If populated and position 1 of REQTYP = N, Q or (position 1 of REQTYP = P and EU.STATE not = CT) and ACT = T and vv &gt; DDD, then return error: NWFLSR391 DDDO MUST BE LESS THAN OR EQUAL TO DDD</p>	
020	NOR – Number of Requests	Identifies this LSR and the total quantity of Local Service Requests within a related group of orders being submitted.	N	4-4	Positions 1,2 – 01-99 Positions 3, 4 – 02-99	<p>1. If populated and positions 3 and 4 are not = to or &gt; than positions 1 and 2, then return error: NWFLSR027 NOR INVALID DATA IN LAST 2 POSITIONS</p> <p>2. If populated and RPON is not populated, then return error: NWFLSR028 NOR PROHIBITED WHEN RPON IS NOT PRESENT</p> <p>3. If not populated and RPON is populated, then return error: NWFLSR029 NOR IS REQUIRED WHEN RPON IS PRESENT</p> <p>4. If populated and dl not = 4 characters, then return error: NWFLSR030 NOR LENGTH MUST BE 4 CHARACTERS</p> <p>5. If populated and vv positions 1 and 2 not = 01-99 or vv position 3 and 4 not = 02-99, then return error: NWFLSR324 NOR VALID VALUE FOR POSITIONS 1 AND 2 IS 01-99 AND POSITIONS 3 AND 4 IS 02-99</p>	O
021	APPTIME- Appointment Time - DDDO	Identifies the time period during which the end user's service will be established and/or a technician is scheduled to visit the end user's premises.	AN -:	17-17	Format 08:00:00-12:00:00  08:00:00-11:00:00  13:00:00-17:00:00  15:00:00-19:00:00	<p>1. If populated and REQTYP = AB, BB, CB or JB, then return error: NWFLSR330 APPTIME DDDO NOT ALLOWED FOR REQTYP</p> <p>2. If populated and SLI = B, then return error: NWFLSR176 APPTIME DDDO IS PROHIBITED WHEN SLI = B</p> <p>3. If populated and DDDO is not populated, then return error: NWFLSR249 APPTIME DDDO IS PROHIBITED</p> <p>4. If populated and dc contain : (colon) and vv not = 08:00:00-12:00:00, 08:00:00-11:00:00, 13:00:00-17:00:00, 15:00:00-19:00:00, then return error: NWFLSR437 APPOINTMENT TIME MAY ONLY BE 08:00:00-12:00:00, 08:00:00-11:00:00, 13:00:00-17:00:00, 15:00:00-19:00:00</p>	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
022	DFDT – Desired Frame Due Time	Identifies desired frame cutover time.	AN	6-6	HHMMAM or PM  HH – 01-12 MM – 00-59 AM PM	<ol style="list-style-type: none"> <li>1. If not populated, and NOT (REQTYP = C and ACT = V) and CHC=Y ,A or B, then return error: NWFLSR032 DFDT IS REQUIRED WHEN CHC IS Y, A or B</li> <li>2. If populated and REQTYP = AB and CHC is not populated and LS.CI not = E and NPA NXX Flag does not = F, then return error: NWFLSR289 DFDT PROHIBITED</li> <li>3. If not populated and REQTYP = AB and (LS.CI = E) and NPA NXX Flag does not = F, then return error: NWFLSR349 DFDT IS REQUIRED WHEN CI IS E</li> <li>4. If populated and REQTYP = BB and CHC is not populated and (LSNP.NPT not = D or SLI = B) and NPA NXX Flag does not = F, then return error: NWFLSR322 DFDT PROHIBITED</li> <li>5. If populated and dl not = 6 characters, then return error: NWFLSR021 DESIRED FRAME DUE TIME LENGTH MUST BE 6 CHARACTERS</li> <li>6. If populated and vv is not in format HHMMAM or HHMMPM, then return error: NWFLSR031 DESIRED FRAME DUE TIME VALID FORMAT IS HHMMAM OR HHMMPM</li> <li>7. If populated and positions 1-2 (HH) not = 01-12, then return error: NWFLSR036 DESIRED FRAME DUE TIME HOUR MUST BE 01 - 12</li> <li>8. If populated and positions 3-4 not = 00-59, then return error: NWFLSR043 DESIRED FRAME DUE TIME MINUTE MUST BE 00 - 59</li> <li>9. If populated and positions 5-6 not = AM or PM, then return error: NWFLSR052 DESIRED FRAME DUE TIME ONLY AM OR PM ALLOWED IN LAST TWO POSITIONS OF THE DATA</li> <li>10. If populated and CHC = Y and (vv &lt; 0700AM or &gt; 0700PM) and EU.STATE not = CT, then return error: NWFLSR186 DFDT MUST BE BETWEEN 0700AM AND 0700PM</li> </ol>	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>11. If populated and vv not = 1100PM and REQTYP = AB, BB and CHC = A, then return error: NWFLSR132 DFDT MUST BE 1100PM</p> <p>12. If populated and vv not = 1145PM and REQTYP = AB, BB and CHC = B, then return error: NWFLSR140 DFDT MUST BE 1145PM</p> <p>Note:  1) Out-of-hours requests must be negotiated with Account Manager.</p>	
023	DFDTO					<b>FIELD NOT SUPPORTED</b>	P
024	PROJECT – Project Identification	Identifies the project to which the request is to be associated.	AN * & ' @ : , \$ - # () % . + " ;	1-16		<p>1. If populated and dl &gt; 16 characters, then return error: NWFLSR041 PROJECT IDENTIFICATION DATA MAY NOT EXCEED 16 CHARACTERS</p> <p>2. If populated and special characters not = asterisk ampersand, apostrophe, At Sign, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Parentheses, Percent Sign, Period, Plus Sign, Quotation Marks, Semicolon, Space, then return error: NWFLSR042 INVALID SPECIAL CHARACTER(S) IN PROJECT</p> <p>3. If not populated and NP.PORTEDNBR or TNS field of associated service specific form populated with &gt; 10 characters, and CHC does not = A, return error NWFLSR475 PROJECT REQUIRED</p> <p>4. If not populated and EU.AAI=NEW ADDR, return error NWFLSR260 PROJECT REQUIRED WHEN EU.AAI = NEW ADDR</p> <p>Note: Project ID is alphanumeric created by the CLEC</p>	O
025	PROJINDR – Project Indicator	Identifies that the project is either a customer or provider project.	A	1	C – Customer V – Provider	<p>1. If not populated and PROJECT is populated, then return error: NWFLSR039 PROJINDR IS REQUIRED WHEN PROJECT IS PRESENT</p> <p>2. If populated and vv not = C, V, then return error: NWFLSR040 PROJECT INDICATOR MAY ONLY BE C OR V</p> <p>3. If populated and PROJECT is not populated, then return error: NWFLSR189 PROJECT INDICATOR IS PROHIBITED WHEN PROJECT IS NOT PRESENT</p>	O
026	LSCP					<b>FIELD NOT SUPPORTED</b>	P

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
027	CHC- Coordinated Hot Cut	Identifies that the customer is requesting near seamless cutover activity.	A	1	Y=Yes A=Large Job B=Batch Hot Cut	<ol style="list-style-type: none"> <li>1. If populated and vv not = Y, A, B, then return error: NWFLSR045 DATA MAY ONLY BE Y OR A OR B</li> <li>2. If populated and vv = A, B and ((REQTYP not = AB, BB) or (position 2 and 3 of TOS not = 1-) or (SLI not = S)) and NPA NXX Flag does not = F, then return error: NWFLSR223 CHC VALUE OF A OR B INVALID</li> <li>3. If populated and vv = A and REQTYP = AB, BB, ACT=V and DFDT does not = 1100PM, then return error: NWFLSR328 CHC VALUE REQUIRES DFDT OF 1100PM</li> <li>4. If populated and vv = B and REQTYP = AB, BB, ACT=V and DFDT does not = 1145PM, then return error: NWFLSR329 CHC VALUE REQUIRES DFDT OF 1145PM</li> <li>5. If populated and position 1 of REQTYP = D and PS.RL not = Y, then return error: NWFLSR253 CHC IS PROHIBITED</li> <li>6. If not populated and position 1 of REQTYP = F and ACT = V, then return error: NWFLSR392 CHC IS REQUIRED FOR REQTYP/ACT</li> <li>7. If populated and position 1 of REQTYP = F and ACT not = V, then return error: NWFLSR393 CHC IS PROHIBITED FOR REQTYP/ACT</li> </ol>	O
028	REQTYP – Request Type	Identifies the type of service being requested	A	2-2	<b>AB</b> =Loop <b>BB</b> =Loop w/LNP <b>CB</b> =LNP <b>DB</b> = Wholesale Platform <b>EB</b> =Resale <b>FB</b> = Unbundled local switching (Port) <b>JB</b> = Directory Listing <b>KB</b> = Resale private line <b>LB</b> = Resale frame relay including Resale Asynchronous transfer mode (ATM) <b>NB</b> = DID/DOD/PBX <b>PB</b> = CENTREX Resale <b>QB</b> = ISDN	<ol style="list-style-type: none"> <li>1. If populated and vv does not = AB, BB, CB, DB, EB, JB, FB, KB, LB, NB, PB, QB, return error: NWFLSR046 REQTYP IS PROHIBITED</li> <li>2. If not populated, then return error: NWFLSR214 REQTYP IS A REQUIRED FIELD</li> <li>3. If populated and vv = EB and (position 2 of TOS = H, K, E) or (position 2 of TOS = J and NPA NXX Flag does not = F), return error: NWFLSR254 REQTYP EB PROHIBITED FOR TOS</li> <li>4. If populated and vv = FB and NPANXX Flag = L, return error NWFLSR034 REQTYP INVALID FOR SERVICE TERRITORY</li> </ol>	R

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						<p>5. If populated and vv does not = AB, BB and CHC=A, B, return error NWFLSR035 REQTYP MUST = AB, BB</p> <p>6. If populated and vv = DB and position 2 of TOS = H, J, K, return error NWFLSR228 REQTYP DB PROHIBITED FOR TOS</p>	
029	P – Product Arrangement	Identifies the arrangement for the product ordered.	A	1-1	A=Resale B=Unbundled port C= Combined loop and unbundled local switching (port) D=Platform	<p>1. If populated and REQTYP not = NB, QB, then return error: NWFLSR187 PRODUCT ARRANGEMENT NOT VALID FOR REQTYP</p> <p>2. If not populated and position 1 of REQTYP = N, Q, return error: NWFLSR396 PRODUCT ARRANGEMENT IS REQUIRED FOR REQTYP</p> <p>3. If populated and vv not = A, B, C, D, then return error: NWFLSR288 PRODUCT ARRANGEMENT VALID VALUE = A, B, C, D</p> <p>4. If populated and vv does not = A and NPA NXX Flag = L, return error NWFLSR290 PRODUCT ARRANGEMENT NOT VALID FOR SERVICE TERRITORY</p>	O
030	SLI –Sub Loop Indicator	Identifies the type of sub-loop the customer is requesting.	A	1	A= F(1) Sub-loop (Feeder) B= F(2) Sub-loop (Distribution) C= F(2) Sub-loop with virtual circuit H= House & Riser Cable S= Standard V= F(2) Sub-loop with virtual circuit and voice	<p>1. If populated and REQTYP not = AB, BB, DB, then return error: NWFLSR047 SUB LOOP INDICATOR IS PROHIBITED</p> <p>2. If not populated and REQTYP=AB, BB, return error NWFLSR048 SUB LOOP INDICATOR IS REQUIRED</p> <p>3. If populated and vv not = B, C, H, V, S, then return error: NWFLSR049 SUB LOOP INDICATOR DATA MAY ONLY BE B, C, H, V OR S</p> <p>4. If populated and vv not = S and position 1 of REQTYP = D, then return error: NWFLSR255 SLI VALID VALUE = S WHEN REQTYP = D</p> <p>5. If not populated and position 1 of REQTYP = D and PS.SDP = A and Position 3 LSR.TOS does not = B, P and Position 4 LSR.TOS does not = S, L, then return error: NWFLSR256 SLI IS REQUIRED</p>	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						<p>6. If populated and vv does not = S and CHC=A,B, return error NWFLSR058 SLI MUST BE S</p> <p>7. If not populated and (REQTYP=DB and ACT does not = J) and NPA NXX Flag = F and (position 3 LSR.TOS does not = B, P and position 4 LSR.TOS does not = S, L), return error NWFLSR221 SLI IS REQUIRED</p>	
031	ACT – Activity	Identifies the activity involved in this service request	A	1	<p>N= New installation and/or account</p> <p>C= Change an existing account, e.g., rearrangement, partial disconnect or addition (Physical Change)</p> <p>D=Disconnection</p> <p>J=Standalone Directory Listings (Valid for REQTYP EB, DB, PB, NB, QB)</p> <p>M=Inside move of the physical termination within a building</p> <p>T= Outside Move of end user location</p> <p>R= Record activity is for ordering administrative changes (Records Only Change, Excludes Listing Only Change on REQTYP EB,DB,NB,PB,QB –See ACT J)</p> <p>V= Conversion or migration of service as specified</p> <p>W= Conversion as is (No changes to account)</p> <p>Y= Suspend (non-pay suspend)</p> <p>B= Restore</p> <p>S= Seasonal/Vacation Suspend (Where Available by Tariff)</p> <p>S= Suspend for Non-Pay (REQTYP DB - OR)</p>	<p>1. If populated and REQTYP = AB and ACT not = N,V,C,D,T,R,M, return error: NWFLSR050 ACT MAY ONLY BE N, V, C, D, T, R, M</p> <p>2. If populated and REQTYP = CB and NP.NPT = D and ACT does not = V, then return error: NWFLSR051 ACT MAY ONLY BE V</p> <p>3. If populated and REQTYP = BB and ACT not = V, then return error: NWFLSR054 ACTIVITY MUST BE V FOR REQTYP BB</p> <p>4. If not populated, then return error: NWFLSR215 ACT IS A REQUIRED FIELD.</p> <p>5. If populated and vv not = C, D, N and SLI = C, V, then return error: NWFLSR335 ACT MUST BE C, D OR N WHEN SLI IS C OR V</p> <p>6. If populated and position 2 of TOS = Z and vv =N, then return error: NWFLSR321 ACT N PROHIBITED WITH SELECTED TOS</p> <p>7. If populated and vv = B, S and position 1 of REQTYP = D, E and position 2 of TOS = E or position 3 of TOS = B, then return error: NWFLSR287 ACT VALID VALUE = B, S IS PROHIBITED</p> <p>8. If populated and vv does not = C, D, R, J and position 1 of REQTYP = F and position 2 of TOS = Y, then return error: NWFLSR398 ACT INVALID FOR REQTYP</p> <p>9. If populated and vv = S, T and position 4 of TOS = R, then return error: NWFLSR400 ACT VALID VALUE = S, T IS PROHIBITED FOR TOS</p>	R

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						<p>10.If populated and vv does not = N, C, J, M, T, D, R, V, W, S, B, Y, return error NWFLSR218 ACT VALID VALUES = N, C, J, M, T, D, R, V, W, S, B, Y</p> <p>11.If populated and vv does not = C,D,V and REQTYP=AB, position 2 of TOS=P, and SLI=B, return error NWFLSR332 ACT MUST = C,D,V</p> <p>12.If populated and vv does not = N,C,D,R,V and REQTYP=AB position 2 of TOS=R and SLI=B, return error NWFLSR340 ACT MUST = N,C,D,R,V</p> <p>13.If populated and vv = W and 1st position or REQTYP does not = E, K, L, N, P or (Q unless PPT Value CSI = D, F), return error NWFLSR478 ACT W PROHIBITED</p> <p>14.If populated and vv = J and REQTYP does not = EB,DB,PB,NB, QB, return error NWFLSR480 ACT J PROHIBITED FOR REQTYP</p> <p>15.If populated and vv does not = N,D,C,V, and REQTYP = JB, return error NWFLSR481 INVALID ACT FOR REQTYP</p> <p>16.If populated and vv = Y and REQTYP = DB, return error NWFLSR533 ACT PROHIBITED WITH REQTYP</p> <p>17. If populated and vv = B, Y, S and REQTYP = FB, QB, LB, KB, NB, PB, return error NWFLSR524 ACT PROHIBITED WITH REQTYP</p> <p>18. If populated and vv = W and REQTYP = DB, return error NWFLSR468 ACT PROHIBITED FOR REQTYP IN SERVICE TERRITORY</p> <p>19.If populated and vv = S, REQTYP does not = DB, and EU.STATE = OR, NV, SC, return error NWFLSR262 SUSPEND ACTIVITY PROHIBITED</p> <p>20.If populated and vv = V and REQTYP = DB and position 3 of TOS = B and position 4 of TOS = S, return error NWFLSR278 ACTIVITY PROHIBITED</p>	

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
032	ADET – Activity Detail	Identifies the activity detail that will occur for a specific request.	A	1-1	A= End User Service Address Correction (e911)	1.If populated and vv not = A, then return error: NWFLSR294 ADET VALID VALUE = A  2.If populated and REQTYP=CB,JB, return error NWFLSR485 ADET PROHIBITED FOR REQTYP	O
033	MI					<b>FIELD NOT SUPPORTED</b>	P
034	SUP – Supplement Type	A supplement is any new iteration of a local service request. The entry in the SUP field identifies the reason the supplement is being issued. The LSR will have the same PON number as the original submission, with incremental version.	N	1	1= Cancel – A Sup 1 should be used to cancel a pending request.  2= New Desired Due Date – Indicates that a pending order requires only a change of desired due date which was confirmed on a previous LR.  3= Other – Any other change to the request not defined by a SUP code 2, 4, 5, 6 or 7. (Excludes REQTYP and CCNA Changes)  4= CLEC Facility Modification – A change to the Cable/Pair or Slot/Shelf values  5= Change to NC/NCI  6= Engineering query requested  7= Network Modification Charges Accepted	1.If populated and SUP = 4, 5 and REQTYP not = AB, BB and (SLI not = S or is not populated), then return error: NWFLSR057 SUP 4 OR 5 IS ONLY ALLOWED IF SLI IS S  2. If populated and vv not = 1, 2, 3, 4, 5, 6, 7, then return error: NWFLSR059 SUP MUST BE 1, 2, 3, 4, 5, 6 or 7.  3. If populated and vv = 6 and REQTYP = CB, EB, JB, FB, KB, LB, NB, PB, QB, return error: NWFLSR227 SUP 6 PROHIBITED FOR REQTYP  4. If populated and vv = 6 and position 1 of REQTYP = D and (ACT not = C, N, T, V or PS.LNA not = N, T), then return error: NWFLSR297 SUP VALID VALUE = 6 IS PROHIBITED  5. If populated and vv = 6, 7 and PS.SDP = C, E, F, G, M, then return error: NWFLSR301 SUP VALID VALUE = 6, 7 IS PROHIBITED WHEN SDP = C, E, F, G, M  6. If sup is not populated and PON/VER/CCNA already exists in database (this means order already exist) and current status = 'TRANSMITTED', 'TRANSMISSION_SUSPENDED' and message category = '850' or 'LSR REQUEST' then return error NWFLSR452 RESEND NOT SUPPORTED  7. If sup is not populated PON/CCNA already exists in database (this means order already exist) and current VER not = VER of last received order in the database and current status = 'TRANSMITTED', 'TRANSMISSION_FAILED', 'TRANSMISSION_SUSPENDED', 'TRANSLATION FAILED', 'TRANSLATION FAILED NOTIFIED', 'TRANSLATION FAILED NOT NOTIFIED' and message category = '850' or '860' or 'LSR REQUEST' then return error NWFLSR453 SUP IS REQUIRED	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						<p>8. If sup is populated and there already exists an 865 in Database with Definition=LSRBCM, LSRPCM ,865-Billing Completion or 865-Provisioning Completion (this means BCN/PCN order already exists) and current status = 'SAVE', 'TRANSMITTED', 'TRANSMISSION_FAILED', 'TRANSMISSION_SUSPENDED', 'TRANSLATION FAILED', 'TRANSLATION FAILED NOTIFIED', 'TRANSLATION FAILED NOT NOTIFIED' and message category = '865' or 'LSR RESPONSE then return error NWFLSR460 SUP IS PROHIBITED ON A BILLING COMPLETION OR PROVISIONING COMPLETION.</p> <p>9. If SUP is populated and PON/CCNA already exists in database (this means order already exists) and LSR:REQTYP not equals LSR:REQTYP of last received order and current status = 'TRANSMITTED', 'TRANSMISSION_FAILED', 'TRANSMISSION_SUSPENDED', 'TRANSLATION FAILED', 'TRANSLATION FAILED NOTIFIED', 'TRANSLATION FAILED NOT NOTIFIED' and message category = '850' or '860' or 'LSR REQUEST' then return error NWFLSR461 REQTYP CANNOT CHANGE ON SUPPLEMENT ORDERS</p> <p>10. If SUP is populated and PON/CCNA already exists in database (this means order already exists) and LSR:ACT not equals LSR:ACT of last received order and current status = 'TRANSMITTED', 'TRANSMISSION_FAILED', 'TRANSMISSION_SUSPENDED', 'TRANSLATION FAILED', 'TRANSLATION FAILED NOTIFIED', 'TRANSLATION FAILED NOT NOTIFIED' and message category = '850' or '860' or 'LSR REQUEST' then return error NWFLSR462 ACT CANNOT CHANGE ON SUPPLEMENT ORDERS</p> <p>11. If SUP is populated and PON/CCNA already exists in database (this means order already exists) and LSR:SUP vv = 1 of last received order and current status = 'TRANSMITTED', 'TRANSMISSION_FAILED', 'TRANSMISSION_SUSPENDED', 'TRANSLATION FAILED', 'TRANSLATION FAILED NOTIFIED', 'TRANSLATION FAILED NOT NOTIFIED' and message category = '850' or '860' or 'LSR REQUEST' then return error NWFLSR463 SUP IS PROHIBITED ON CANCEL ORDERS</p>	

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						<p>12.If populated and vv =3 and REMARKS is not populated, return error NWFLSR486 SUP 3 REQUIRES REMARKS</p> <p>13.If populated and vv = 4 and REQTYP does not = AB,BB, return error NWFLSR487 SUP = 4 PROHIBITED</p> <p>14.If populated and vv = 5 and REQTYP does not = AB,BB,KB,LB, return error NWFLSR488 SUP = 5 PROHIBITED</p> <p>15.If populated an vv=6,7 and REQTYP does not = AB,BB,DB, return error NWFLSR491 SUP INVALID FOR REQTYP</p> <p>16.If populated and vv does not = 1,2,3 and REQTYP=CB, return error NWFLSR492 SUP VALID VALUE = 1,2,3 WHEN REQTYP=CB</p> <p><b>Note:</b>          SUP 1 Cancel – Indicates that the pending order is to be canceled in its entirety.;;;;          A SUP 1 may be sent at any time prior to completion of the order.; Submitting the SUP1 request will retire the original request, no further action will be required.          2. SUP 2 – New desired due date – Indicates that the pending order requires only a change of desired due date.;A request for a change in desired due date in conjunction with other changes to a pending order should be submitted with a "3" in the SUP field.When submitting a supplement to a request, a full refresh of the original LSR is required. Full refresh indicates that all unchanged information on the original request is included on the supplement along with a due date change.;A SUP 2 may be sent only after a Local Response (error or FOC) is received.;If a LR (Local Response) was sent on the preceding PON and VER, and the order has not been provisioned, then the SUP 2 is a valid request. ;If the order has been completed, the SUP 2 request will be rejected/errorred back to the customer. ;A new LSR will be required to disconnect or change to any previously provisioned service(s).          3. SUP 2 – New Desired Due Date – The new due date is specified in the DDD field on the LSR. If the request is to establish a due date less than the due date already provided, the EXP field can be populated. The EXP field should not be populated on an original request unless the APPTRESID is populated. It should be used only on Supplemental orders (after a Local Response has been sent).          4. SUP 3 – Other- Any other change to the request.This may affect the previously agreed upon due date.;Partial cancellations should also be entered with a "3" in the SUP field. For example, removing 2 lines from an existing 5 line LSR.;A request for a change in desired due date in conjunction with other changes to a pending order should be submitted with a "3" in the SUP field.; If the request is to establish a due date less than the standard interval, the EXP field must be populated.;This entry is also to be used for supplements that are a result of provider changes.;When submitting a supplement to a request, a full refresh of the original LSR is required. Full refresh indicates that all unchanged information on the original request is included on the</p>	

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						<p>supplement along with changed information. REQTYP and CCNA changes on SUP are Prohibited.</p> <p>5. SUP 3 – Other – Any other change to the request not defined by a SUP code 2, 4, 5, 6 or 7. This would include changes to the original request (i.e. PIC changes, IOSCs, TN etc), or if the change for a desired due date is in conjunction with other changes to the pending order. REQTYP and CCNA changes on SUP are Prohibited.</p> <p>6. SUP 3 – Other – If the SUP field is populated with a 3 the remarks field must state what is changing on the LSR. In addition to the changed fields, the remainder of the request must be identical to the original request issued.</p> <p>7. SUP 3 – Other – Use supplement 3 to resubmit a rejected PON with corrections.</p> <p>8. A SUP 3 may not be sent to change the REQTYP or CCNA</p> <p>9. SUP 4 – CLEC Facility Modification – Indicates the customer is requesting a change to the facility assignment(s) originally provided. If a LR (Local Response) was sent on the preceding PON, and the order has not been provisioned, then the SUP 4 is a valid request.</p> <p>10. SUP 4 – CLEC Facility Modification – Any change to either the Shelf or Slot fields or the Cable and Pair fields should use a SUP 4. ;This may include a change to the desired due date in conjunction with the Shelf/Slot or Cable/Pair change.;A request for a change to the facility assignment(s) in conjunction with other changes to a pending order should be submitted with a "3" in the SUP field.; This may affect the previously agreed upon due date.</p> <p>11. SUP 5 – Change to NC/NCI – If a LR (Local Response) was sent on the preceding PON, and the order has not been provisioned, then the SUP 5 is a valid request.</p> <p>12. SUP 5 – Change to NC/NCI – Any change to the NC or NCI fields should use a SUP 5. ;This may include a change to the Cable or Pair fields to correspond with the new NC/NCI codes.; This may include a change to the desired due date in conjunction with the NC/NCI change.;A request for a change to the NC, NCI and SECNCI fields in conjunction with other changes to a pending order should be submitted with a "3" in the SUP field.This may affect the previously agreed upon due date.</p> <p>13. SUP 6 – Engineering query requested Indicates the customer is requesting the provider to furnish an estimate of the cost associated with the routine network modifications required to alleviate a no facilities condition. An engineering query may be requested when the customer has received a no facilities jeopardy notification and would like the provider to determine if routine network modifications are available to alleviate the no facilities condition and any associated charges.</p> <p>14. SUP 7 – Network Modification Charges Accepted – Indicates the customer authorizes the provider to perform the routine network modifications required to alleviate a no facilities condition and accepts the associated charges.</p>	
035	EXP – Expedite	Indicates that expedited treatment is requested and any charges generated in provisioning this request (e.g., additional engineering	A	1	Y=Expedite Charges Authorized	<p>1. If populated and (ACT = D or position 2 of TOS = F), then return error: NWFLSR060 EXPEDITE IS PROHIBITED</p> <p>2. If populated and vv does not = Y, return error NWFLSR061 EXP VALID VALUE=Y</p> <p>3. If populated and CHC = A, B, then return error: NWFLSR062 EXP PROHIBITED WHEN THE CHC = A or B</p>	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
		charges or labor charges (if applicable) will be accepted.				<p>4. If populated and LS.CI = E, then return error: NWFLSR350 EXP PROHIBITED WHEN CI IS E</p> <p>5. If populated and position 2 of TOS = F, then return error: NWFLSR334 EXP PROHIBITED FOR TOS VALUE</p> <p>6. If populated and position 2 of PS.LTOS = L or position 3 of PS.LTOS = B or position 4 of LTOS = L, S and PS.SDP = C, D, E, F, G, then return error: NWFLSR306 EXP IS PROHIBITED</p> <p>7. If populated and (the SUP field is not populated or the APPTRESID is not populated), return error NWFLSR259 EXP FIELD PROHIBITED</p> <p>Note: Expedite Field is not actionable on initial version of PON unless the Appointment Scheduler has provided a date that needs to be improved. APPTRESID field must be populated with the reservation number.</p>	
035 a	APPTRESID – Appointment Response Identifier	Identifies the appointment response number assigned by the provider to relate associated transactions	AN	10		<p>1. If populated and REQTYP not = AB, BB, DB, EB, then return error: NWFLSR344 APPTRESID NOT VALID FOR REQTYP</p> <p>2. If populated and (dl &gt; 10 or dc not = alpha, numeric), then return error: NWFLSR345 APPTRESID MUST NOT EXCEED 10 ALPHA NUMERIC CHARACTERS</p> <p>3. If populated and position 1 of REQTYP = D, E and ACT = R, then return error: NWFLSR323 APPTRESID IS PROHIBITED</p>	O
036	ER					<b>FIELD NOT SUPPORTED</b>	P
037	AFO					<b>FIELD NOT SUPPORTED</b>	P
038	RVER					<b>FIELD NOT SUPPORTED</b>	P
039	MEU					<b>FIELD NOT SUPPORTED</b>	P
040	RTR					<b>FIELD NOT SUPPORTED</b>	P
041	CC – Company Code	Identifies the exchange carrier generating the inquiry.	AN	4-4		<p>1. If populated and CCNA not = CUS, then return error: NWFLSR063 COMPANY CODE IS PROHIBITED</p> <p>2. If populated and dl not = 4, then return error: NWFLSR064 COMPANY CODE DATA MUST BE 4 CHARACTERS</p>	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						3. If populated and special characters present, then return error: NWFLSR240 SPECIAL CHARACTERS NOT ALLOWED IN CC  4. If not populated and CCNA = CUS, then return error: NWFLSR333 COMPANY CODE IS REQUIRED	
042	RCC					<b>FIELD NOT SUPPORTED</b>	P
043	PID					<b>FIELD NOT SUPPORTED</b>	P
044	NNSP – New Network Service Provider Identification	Identifies the Number Portability Administration Center (NPAC) Service Provider Identifier (SPID) of the new Network Service Provider (NSP).	AN	4-4		1. If not populated and REQTYP = CB,BB and ACT=V, return error NWFLSR266 NEW NETWORK SERVICE PROVIDER IDENTIFICATION REQUIRED  2. If populated and dl not = 4 characters, then return error: NWFLSR067 NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERS  3. If populated and vv not = alpha, numeric, then return error: NWFLSR241 NNSP IS ALPHA/NUMERIC  4. If populated and REQTYP = BB and LSNP.NPT not = D, P (any occurrence), then return error: NWFLSR291 NEW NETWORK SERVICE PROVIDER IDENTIFICATION PROHIBITED  5. If populated and REQTYP = JB, then return error: NWFLSR313 NEW NETWORK SERVICE PROVIDER PROHIBITED FOR REQTYP	O
045	ONSP – Old Network Service Provider	Identifies the NPAC SPID of the current Network Service Provider.	AN	1-4		1. If populated and position 1 of REQTYP not = D, E, F, N, P, then return error: NWFLSR056 ONSP IS PROHIBITED FOR REQTYP  2. If not populated and position 1 of REQTYP = D, E, F, and (PS.NPI or RS.NPI = C, E), then return error: NWFLSR325 ONSP IS REQUIRED  3. If populated and position 1 of REQTYP = D, E, F, and (PS.NPI and RS.NPI not = C, E), then return error: NWFLSR341 ONSP IS PROHIBITED	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						<p>4. If not populated and position 1 of REQTYP = N and DDPS.NPI = C, D, E, then return error: NWFLSR401 ONSP IS REQUIRED FOR NPI</p> <p>5. If populated and position 1 of REQTYP = N and DDPS.NPI not = C, D, E, then return error: NWFLSR402 ONSP IS PROHIBITED FOR NPI</p> <p>6. If not populated and position 1 of REQTYP = P and CRS.NPI = C, D, E, then return error: NWFLSR403 ONSP IS REQUIRED FOR NPI</p> <p>7. If populated and position 1 of REQTYP = P and CRS.NPI not = C, D, E, then return error: NWFLSR404 ONSP IS PROHIBITED FOR NPI</p>	
046	OCCNA					<b>FIELD NOT SUPPORTED</b>	P
047	OCC					<b>FIELD NOT SUPPORTED</b>	P
048	AENG – Additional Engineering	Indicates that if additional engineering is required, an estimate of the charges is to be forwarded to the initiator of the request.	A	1	Y	<p>1. If not populated and SUP = 6, then return error: NWFLSR250 AENG REQUIRED WHEN SUP=6</p> <p>2. If populated and SUP not = 6, then return error: NWFLSR237 AENG IS PROHIBITED WHEN SUP NOT = 6</p> <p>3. If populated and vv not = Y, then return error: NWFLSR238 AENG CAN ONLY BE Y</p>	O
049	ALBR					<b>FIELD NOT SUPPORTED</b>	P
050	SCA – special Construction Authorization	Indicates pre-authorization for special construction.	A	1	Y=Special construction is authorized	<p>1. If populated and vv not = Y, then return error: NWFLSR224 SCA CAN ONLY BE Y</p> <p>2. If not populated and SUP = 7, then return error: NWFLSR225 SCA REQUIRED WITH SUP 7</p> <p>3. If populated and SUP not = 7, then return error: NWFLSR226 SCA ONLY VALID WITH SUP 7</p> <p>4. If populated and REQTYP=CB and ACT=V, return error NWFLSR493 SCA PROHIBITED</p>	O
051	AGAUTH – Agency	Indicates that the customer is acting as an end user's	A	1	Y=Authorization on file Z=Dual authorization on file (voice & data)	<p>1. If not populated, return error: NWFLSR069 AGENCY AUTHORIZATION STATUS IS REQUIRED</p>	R

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
	Authorization Status	agent and has authorization on file.				2. If populated and vv does not = Y, Z, return error NWFLSR353 AGENCY AUTHORIZATION STATUS DATA MUST BE Y OR Z  3. If populated and vv = Z and REQTYP not = BB, then return error: NWFLSR354 INVALID AGENCY AUTHORIZATION STATUS VALUE FOR REQTYP	
052	PORTTYP					<b>FIELD NOT SUPPORTED</b>	P
053	ACTL – Access Customer Terminal Location	Identifies the CLLI code of the customer facility terminal location or designated collocation area. The CLLI code will have been previously assigned.	AN - space	11-11		1. If not populated and REQTYP = AB and ACT = N, V and position 2 of TOS = 1, 2, 3, 4, F, P, R, W, X and SLI not = H, then return error: NWFLSR071 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED  2. If not populated and REQTYP = BB and ACT = V and position 2 of TOS = 1, 2, 3, 4, F, W, X, then return error: NWFLSR268 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED  3. If not populated and ACT = N, C and position 2 of TOS = Y, then return error: NWFLSR269 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED  4. If populated and REQTYP = CB, EB, JB, return error NWFLSR072 ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED  5. If populated and dl not = 11 characters, then return error: NWFLSR073 ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS  6. If populated and special characters not = space or hyphen, then return error: NWFLSR181 ACTL HAS INVALID CHARACTERS  7. If not populated and APOT field is populated, then return error: NWFLSR216 ACTL REQUIRED WHEN APOT IS POPULATED  8. If not populated LS.CI = E, then return error: NWFLSR348 ACTL REQUIRED WHEN CI IS E  9. If populated and position 1 of REQTYP = D and PS.SDP not = A, then return error: NWFLSR356 ACTL IS PROHIBITED	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						<p>10. If not populated and position 1 of REQTYP = F and ((ACT = N, V) or (ACT = C and PS.LNA = N)), then return error: NWFLSR405 ACTL IS REQUIRED FOR REQTYP/ACT</p> <p>11. If not populated and REQTYP = AB and ACT=D or ACT=C with LNA=D, return error NWFLSR465 ACTL REQUIRED</p> <p>12. If not populated and REQTYP=AB, BB, return error NWFLSR355 ACTL REQUIRED</p>	
054	SACTL – Secondary Access Customer Terminal Location	Identifies the CLLI code of the secondary customer facility terminal location or designated collocation area. The CLLI code will have been previously assigned.	AN - SPACE	11-11		<p>1. If not populated and ACT = N and position 2 of TOS = F, then return error: NWFLSR074 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED</p> <p>2. If populated and ACT not = N and position 2 of TOS not = F, then return error: NWFLSR075 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED</p> <p>3. If populated and dl not = 11 characters, then return error: NWFLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS</p> <p>4. If populated and special character not = hyphen, space, then return error: NWFLSR242 SPECIAL CHARACTERS IN SACTL CAN ONLY BE HYPHEN OR SPACE</p> <p>5. If not populated and REQTYP=AB, BB, ACT does not =D and position 2 of TOS=F, return error NWFLSR494 SACTL REQUIRED</p> <p>6. If populated and positions 1-8 of vv does not = positions 1-8 of ACTL and REQTYP=AB, position 2 of TOS=F and SLI=S, return error NWFLSR495 POSITIONS 1-8 OF SACTL MUST = POSITIONS 1-8 OF ACTL</p>	O
055	AI					<b>FIELD NOT SUPPORTED</b>	P
056	APOT					<b>FIELD NOT SUPPORTED</b>	P
057	LST – Local service termination	Identifies the CLLI code of the end office switch from which service is being requested.	AN - SPACE	1-11		<p>1. If populated and dl &gt; 11 characters, then return error: NWFLSR078 LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS</p>	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						<p>2. If populated and vv special characters not = hyphen, space, then return error: NWFLSR243 LST SPECIAL CHARACTERS CAN ONLY BE HYPHEN, SPACE</p> <p>3. If not populated and position 1 of REQTYP = F and ACT = N, C and position 2 of TOS = Y, then return error: NWFLSR407 LST IS REQUIRED FOR REQTYP/ACT</p> <p>4. If not populated and REQTYP=FB and ACT does not = D, return error NWFLSR496 LST REQUIRED</p> <p>5. If populated and REQTYP=CB, return error NWFLSR497 LST PROHIBITED</p>	
058	LSO – Local Service Office	Identifies the NPA/NXX of the local or alternate serving central office of the customer location or primary location of the end user.	N	6-6		<p>1. If populated and dl does not = 6 characters, then return error: NWFLSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS</p> <p>2. If populated and dc contains special characters, then return error: NWFLSR251 LSO CANNOT CONTAIN SPECIAL CHARACTERS</p> <p>3. If not populated and position 1 of REQTYP = E and position 4 of TOS = F, then return error: NWFLSR358 LSO IS REQUIRED</p> <p>4. If not populated and REQTYP=AB, LB, return error NWFLSR498 LSO REQUIRED</p> <p>5. If not populated and REQTYP=NB, ACT does not =D,W DDPS.TNS is blank or N, return error NWFLSR501 LSO REQUIRED</p> <p>6. If populated and dc is not numeric, return error NWFLSR502 LSO MUST BE NUMERIC</p> <p>7. If not populated and REQTYP=QB, ACT does not =D,W IS.TNS and IS.ECCKT is blank or N, return error NWFLSR503 LSO REQUIRED</p> <p>8. If populated and REQTYP=CB and ACT=V, return error NWFLSR507 LSO PROHIBITED</p>	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						9.If populated and REQTYP=JB, return error NWFLSR359 LSO PROHIBITED WHEN REQTYP=JB	
059	TOS – Type of Service	Identifies the type of service for the line ordered.	AN	2-4	<p><b>1<sup>st</sup> Character:</b>  1=Business  2=Residence  3=Government</p> <p><b>2<sup>nd</sup> Character:</b>  A=Multiline (Hunting)  B=Single Line/Multi-line (no hunt)  C=Coin  D=Advance Services  E=CENTREX (Resale &amp; UNE)  F=Data/Voice Shared Loop  H=ISDN (BRI)  J=PBX (Trunk)  K=ISDN (PRI)  P=Line Split  Q=DID/DOD  R=Line Share  W= 2 Wire Digital Design Metallic Loop Standard  X= 2 Wire Digital Design Metallic Loop with ISDN Electronics  Y= TR008 Port Arrangement  Z=UNE NID  -Hyphen=REQTYP JB Only  1= 2 wire analog loop  2= 2 wire digital loop  3= 4 wire analog loop  4= 4 wire digital loop  5= House &amp; Riser cable service (Flag = F Only)  6= NID to NID  7= 2wire analog M-loop (Flag = F Only)</p> <p><b>3<sup>rd</sup> Character:</b>  B=Wholesale Broadband  F= Flat Rate  M= Measured Rate  P=Wholesale Platform Voice (Flag = L Only)  -Hyphen=Not Applicable</p> <p><b>4<sup>th</sup> Character:</b>  F=Foreign Exchange (FXS)</p>	1.If populated and REQTYP = JB and character positions 2, 3, 4 not = - (hyphen), then return error: NWFLSR080 TYPE OF SERVICE IS INVALID  2. If populated position 1 does not = 1, 2, 3, then return error: NWFLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3  3. If populated and position 2 of vv = C, T and position 1 of vv not = 1, then return error: NWFLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1  4. If populated and position 2 of vv does not = A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7, return error NWFLSR084 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7  5. If populated and position 3 of vv does not = B, M, F, P -(hyphen), then return error: NWFLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE B, M, F, P -(hyphen)  6. If populated and position 4 of vv does not = F, G, L, N, P, R, S, W, - (hyphen), 1, 2, return error: NWFLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, W, - (hyphen), 1, 2, S, L  7. If not populated, and NOT (REQTYP = C and ACT = V) then return error: NWFLSR202 TOS IS REQUIRED  8. If populated and position 4 vv = 1,2 and NPA NXX Flag does not = F, return error NWFLSR511 TOS POSITION 4 INVALID  9. If populated and position 1 of vv = 3 and REQTYP = DB, return error: NWFLSR360 TOS VALID VALUE FOR POSITION 1 = 3 IS PROHIBITED WHEN REQTYP = DB	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
					<p>G=Semi-public (Flag = L Only)  L=Broadband Lineshare  N=Normal  P=Prison/Inmate  R=RCF  S=Standalone Broadband  W=WATS/800 Service  -Hyphen=Not Applicable  1=Non-designed (Flag = F Only)  2=Designed (Flag = F Only)</p>	<p>10.If populated and position 2 vv = 7 and NPA NXX Flag does not = F, return error NWFLSR508 TOS POSITION 2 INVALID</p> <p>11. If populated and position 3 of vv not = F, M and position 1 of REQTYP = Q and position 2 of vv = H and P = A, then return error: NWFLSR408 TOS VALID VALUE FOR POSITION 3 = F, M</p> <p>12. If populated and position 3 of vv not = hyphen and position 1 of REQTYP = Q and position 2 of vv = H and P = D, return error: NWFLSR409 TOS VALID VALUE FOR POSITION 3 = HYPHEN</p> <p>13.If populated position 2 vv = hyphen and REQTYP does not = JB, return error NWFLSR512 TOS POSITION 2 = HYPHEN PROHIBITED IF REQTYP DOES NOT = JB</p> <p>14.If populated position 3 vv does not = M and REQTYP = FB, return error NWFLSR513 TOS POSITION 3 MUST = M WHEN REQTYP=FB</p> <p>15.If populated position 2 vv = R and DL form is populated, return error NWFLSR514 DL FORM PROHIBITED WHEN POSITION 2 OF TOS=R</p> <p>16.If populated position 2 vv does not = A,D,E,J,P,Q and HGI.HA is populated, return error NWFLSR515 TOS POSITION 2 MUST = A,D,E,J,P,Q WHEN HGI.HA IS POPULATED</p> <p>17.If populated position 2 vv = P and position 3 vv does not = M and NPA NXX Flag = F, return error NWFLSR516 TOS INVALID</p> <p>18.If populated position 2 vv =R, position 3 vv = M and REQTYP=AB, return error NWFLSR517 TOS POSITION 3 CANNOT = M WHEN REQTYP=AB AND TOS POSITION 2 = R</p> <p>19.If populated position 2 vv does not = J,Q and REQTYP=NB, return error NWFLSR518 TOS POSITION 2 MUST = J,Q WHEN REQTYP=NB</p>	

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						<p>20.If populated position 1 vv does not =1 and AC=C, return error NWFLSR519 TOS POSITION 1 VALUE MUST = 1 WHEN AC=C</p> <p>21.If populated position 1 vv does not =2 and AC=B, return error NWFLSR520 TOS POSITION 1 VALUE MUST = 2 WHEN AC=B</p> <p>22.If populated position 2 does not =C and REQTYP=EB,NB,PB, QB, ACT=N and DL Form is not populated, return error NWFLSR523 DL FORM REQUIRED</p> <p>23.If populated position 2 vv = J and NPA NXX Flag = F and REQTYP does not = EB, return error NWFLSR068 TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORY</p> <p>24.If not populated and REQTYP = CB and ACT = V and ELT = E, P, then return error NWFLSR141 TOS REQUIRED</p> <p>25. If populated and 4th position does not = 1, 2 and REQTYP = AB, BB and NPA NXX Flag = F, return error NWFLSR248 TOS POSITION 4 MUST EQUAL 1 OR 2</p> <p>26.If populated and position 3 = B and position 1 does not = 1, 2, return error NWFLSR267 FIRST CHARACTER OF TYPE OF SERVICE MAY ONLY BE 1 OR 2 FOR WHOLESALE BROADBAND</p> <p>27.If populated and (position 3 = B or position 4 = L) and REQTYP does not = DB or (REQTYP does not = EB and ACT=C and LNA=C), return error NWFLSR270 WHOLESALE BROADBAND INVALID FOR REQTYP</p> <p>28.If populated and position 3 = B and position 2 does not = A, B, 7, return error NWFLSR271 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B OR 7 FOR WHOLESALE BROADBAND</p> <p>29.If populated and position 3 = B and position 4 does not = S, L, return error NWFLSR272 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE S OR L FOR WHOLESALE BROADBAND</p>	

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						<p>30.If populated and position 4 = S and position 3 does not = B, return error NWFLSR273 THIRD CHARACTER OF TYPE OF SERVICE MUST EQUAL B WITH STANDALONE BROADBAND</p> <p>31.If populated and position 3 = P and REQTYP does not = DB, return error NWFLSR293 TOS POSITION 3 INVALID FOR REQTYP</p> <p>32.If populated and position 3 = P and NPA NXX Flag does not = L, return error NWFLSR300 TOS INVALID FOR SERVICE TERRITORY</p> <p>33.If populated and position 3 of vv = P and (position 1 does not = 1, 2 and position 2 does not = A, B and position 4 does not = R, L, Hyphen) and NPA NXX Flag = L, return error NWFLSR314 TOS COMBINATION INVALID</p> <p>34.If populated and REQTYP=DB, ACT=N, T and (Position 3 of TOS does not = B or Position 4 of TOS does not = S) and DL form is not populated, return error NWFLSR299 DL FORM REQUIRED</p> <p>35.If populated and (position 2 = '3' or '4' or 'K', and REQTYP = 'AB' or 'BB' and NPA NXX Flag = F) and position 4 not = 2, return error NWFLSR469 TOS POSITION 4 MUST EQUAL 2 FOR 4 WIRE LOOP</p> <p>36.If populated and (position 1 = 4 or position 2 = C) and position 4 does not = N, Hyphen (-) and REQTYP = EB, return error NWFLSR362 TOS POSITION 4 MUST EQUAL N OR HYPHEN FOR RESALE COIN SERVICE</p> <p><b>Note:</b>            1)Associated use of '1' with Service Code and Modifier (SCMD):  <b>Flag = F SCMD:</b> TXNU, ARSU, ARFU, TXXU, TXFU, IBSU, UBSU, TXXS, TXFS            2)Associated use of '2' with Service Code and Modifier (SCMD):  <b>Flag = F SCMD:</b> TYNU, DHSU, TYSU, TYFU, IPSU, IPFU, DWSU, DWFU, AQSU, AQFU, HISU, FZDU, QIDU, ASDU</p>	
060	AC- Account Structure Change	Identifies a rearrangement of account telephone numbers or a change to the type of service	A	1	A= Auxiliary Line to Main Line  B= Business Service to Residence Service  C= Residence Service to Business Service	1.If populated and REQTYP not = EB, DB, then return error: NWFLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
		classification while migrating service.			D= Coin/PAL Service to Business Service  E= Business Service to Coin/PAL Service	2. If populated and REQTYP = DB, EB and ACT not = C, V, then return error: NWFLSR364 AC IS PROHIBITED  3. If populated and REQTYP = DB, EB and ACT = C and (PS.LNA or RS.LNA = T), then return error: NWFLSR365 AC IS PROHIBITED WHEN LNA = T  4. If populated and vv not = A and position 1 of REQTYP = D and ACT = C and position 2 of PS.LTOS = L, then return error: NWFLSR366 AC VALID VALUE = A	
061	SPEC-Service and Product Enhancement Code	Identifies a specific product or service offering.	AN	5-7		1. If populated and (dl < 5 or > 7), then return error: NWFLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5 TO 7 CHARACTERS  2. If populated and position 1 of REQTYP = E, K, L, N, P, then return error: NWFLSR367 SPEC IS PROHIBITED FOR REQTYP  3. If not populated and position 1 of REQTYP = Q and ACT = N, T, V and P = D and position 2 of TOS = H, then return error: NWFLSR411 SPEC IS REQUIRED FOR REQTYP/ACT  4. If populated and vv not = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S and position 1 of REQTYP = Q and ACT = N, T, V and P = D and position 2 of TOS = H, then return error: NWFLSR412 SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S	O
062	NC-Network Channel Code	Identifies the network channel code for the circuit(s) involved. The network channel code describes the channel being requested.	AN -	4-4		1. If not populated and REQTYP = AB, BB and position 3 of TOS = R and APOT is populated, then return error: NWFLSR089 NETWORK CHANNEL CODE IS REQUIRED  2. If not populated and REQTYP = AB and LS.LNA = N (any occurrence), then return error: NWFLSR274 NETWORK CHANNEL CODE IS REQUIRED  3. If not populated and REQTYP = AB, BB and position 2 of TOS = F, then return error: NWFLSR276 NETWORK CHANNEL CODE IS REQUIRED	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						<p>4. If not populated and ACT = N, C and position 2 of TOS = Y, then return error: NWFLSR277 NETWORK CHANNEL CODE IS REQUIRED</p> <p>5. If populated and dl not = 4, then return error: NWFLSR090 NETWORK CHANNEL CODE MUST BE 4 CHARACTERS</p> <p>6. If populated and special characters not = Hyphen, then return error: NWFLSR044INVALID SPECIAL CHARACTERS</p> <p>7. If not populated and REQTYP = AB and LS.CI = E, then return error: NWFLSR352 NETWORK CHANNEL CODE IS REQUIRED</p> <p>8. If populated and position 1 of REQTYP = E, K, L, P and NPA NXX Flag doe not = F, then return error: NWFLSR368 NC IS PROHIBITED FOR REQTYP</p> <p>9. If not populated and position 1 of REQTYP = D and position 2 of PS.LTOS = P and position 3 of PS.LTOS does not = B and position 4 of PS.LTOS does not = S and PS.SDP = A, then return error: NWFLSR369 NC IS REQUIRED</p> <p>10. If not populated and position 1 of REQTYP = F and position 2 of PS.LTOS = J, then return error: NWFLSR413 NC IS REQUIRED FOR LTOS</p> <p>11. If not populated and REQTYP = NB and position 2 of LSR.TOS = J, and LSR.P=D, and NPA NXX Flag does not = F, then return error: NWFLSR414 NC IS REQUIRED</p> <p>12. If not populated and REQTYP = QB and POS 2 of LSR.TOS = H, and LSR .P =D, then return error: NWFLSR415 NC IS REQUIRED</p> <p>13. If not populated and (REQTYP=DB and ACT does not = J), and NPA NXX Flag = F and position 3 of TOS does not = B and position 4 of TOS does not = S, return error NWFLSR534 NC IS REQUIRED</p> <p>14. If not populated and REQTYP = AB,BB and NPA NXX Flag = F, return error NWFLSR220 NC REQUIRED</p>	

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						<p>15. If not populated and REQTYP = DB and ACT = C, and position 3 of PS.LTOS = B and Position 4 of PS.LTOS = L and NPA NXX Flag = F, return error NWFLSR263 NC IS REQUIRED</p> <p>16. If not populated and reqtyp = QB and POS 2 of LSR.TOS = K, return error NWFLSR264 NC IS REQUIRED</p> <p>17. If populated and vv = LX-- and NC/NCI Combination is Analog Loop, and (REQTYP = AB/BB and LS.LNA = N, V or LSNP.LNA = V) and Service Area Flag = F, return error code NWFLSR438 ANALOG LOOP PRODUCT NOT AVAILABLE</p> <p>18. If populated and vv = LX-- and NC/NCI/SECNCI Combination is Analog Loop, and (REQTYP = AB/BB and LS.LNA = N, V or LSNP.LNA = V) and Service Area Flag = L, return error code NWFLSR439 ANALOG LOOP PRODUCT NOT AVAILABLE</p>	
063	PBT					<b>FIELD NOT SUPPORTED</b>	P
064	NCI – Network Channel Interface Code	Identifies the interface characteristics of the circuit at the ACTL/primary location.	AN -	5-12		<p>1. If not populated and NC is populated and position 1 of REQTYP not = N, then return error: NWFLSR091 NETWORK CHANNEL INTERFACE CODE IS REQUIRED</p> <p>2. If populated and position 1 of REQTYP = N, then return error: NWFLSR092 NETWORK CHANNEL INTERFACE CODE IS PROHIBITED</p> <p>3. If populated and (dl &lt; 5 or &gt; 12), then return error: NWFLSR093 NETWORK CHANNEL INTERFACE CODE MAY ONLY BE 5 TO 12 CHARACTERS</p> <p>4. If populated and special characters not = Hyphen , then return error: NWFLSR094 INVALID SPECIAL CHARACTERS IN NCI</p>	O
065	CHANNEL					<b>FIELD NOT SUPPORTED</b>	P
066	SECNCI – Secondary Network Channel Interface Code	Identifies the interface characteristics of the circuit at the Secondary Access Customer Terminal	AN -	5-12		<p>1. If populated and (dl &lt; 5 or &gt; 12), then return error: NWFLSR096 SECNCI MAY ONLY BE 5 to 12 CHARACTERS</p> <p>2. If populated and special characters not = Hyphen, period, then return error: NWFLSR097 INVALID SPECIAL CHARACTERS IN SECNCI</p>	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
		Location (SACTL) or end user location.				3. If populated and NC is not populated and position 2 of TOS not = Y, then return error: NWFLSR292 SECNCI IS PROHIBITED	
067	RPON – Related PON	Identifies the PON of a related service request.	AN -	4-16		<p>1. If populated and NOR is not populated, then return error: NWFLSR098 RELATED PON PROHIBITED WHEN NOR IS NOT PRESENT</p> <p>2. If not populated and NOR is populated, then return error: NWFLSR099 RELATED PON REQUIRED WHEN NOR IS PRESENT</p> <p>3. If populated and (dl &lt; 4 or &gt; 16), then return error: NWFLSR100 RELATED PON MUST BE 4 TO 16 CHARACTERS</p> <p>4. If populated and special characters not = Hyphen, then return error: NWFLSR101 INVALID SPECIAL CHARACTERS IN RPON</p> <p>5. If populated and PS.SDP = C, D, E, F, then return error: NWFLSR370 RPON IS PROHIBITED</p> <p><b>Note:</b> RPON field requires a unique value to be populated that also appears identically on each PON in the RPON group</p>	O
067 a	RPVER – Related PON Version	Identifies the version of a RPON group for tracking and distribution of all related orders when a CLEC submits a Supplemental change.	N	2-2	00-99	<p>1. If populated and RPON is not populated, then return error: NWFLSR102 RELATED PON VERSION PROHIBITED WHEN RELATED PON IS NOT PRESENT</p> <p>2. If not populated and RPON is populated, then return error: NWFLSR103 RPVER IS REQUIRED WHEN RPON IS PRESENT</p> <p>3. If populated and vv not = 00-99, then return error: NWFLSR104 RELATED PON VERSION MUST BE IN THE RANGE OF 00 to 99</p> <p><b>Note:</b>            1. The value of the RPVER field must be the same on all PONs within the same RPON group across LSR's.            2. Subsequent versions must be equal or sequential. Example: sending entire group, must increment RPVER by one.            3. Supplements:            a. SUP 1 or SUP 2 – Must be processed for each PON in the related PON group within a 24-hour period, RPVER must be incrementally increased on each PON in the group         </p>	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						b. SUP 3 – If no change to the DDD, a SUP 3 may be processed for only the changing PON(s) in the related PON group and must carry the same RPVER as the previous version	
068	RORD – Related Order Number	Identifies a related provider order number.	AN	1-20		1. If populated and dl > 20, then return error: NWFLSR105 RELATED ORDER NUMBER MAY NOT EXCEED 20 CHARACTERS 2. If populated and dc contains special characters, then return error: NWFLSR246 RORD CAN ONLY BE ALPHA/NUMERIC	O
069	LSP AUTH – Local Service Provider Authorization	Identifies the carrier code of the Local Service Provider that is providing existing service and has authorized the change to a new service provider.	AN	4-4		1. If not populated and REQTYP = AB and position 2 of TOS = F and ACT = D, N, V, then return error: NWFLSR106 LOCAL SERVICE PROVIDER AUTHORIZATION REQUIRED 2. If not populated and REQTYP = AB and position 2 of TOS = P and CCNA does not = ACNA, then return error: NWFLSR279 LOCAL SERVICE PROVIDER AUTHORIZATION REQUIRED 3. If populated and dl > 4, then return error: NWFLSR107 LOCAL SERVICE PROVIDER AUTHORIZATION MUST BE 1 TO 4 CHARACTERS 4. If not populated and REQTYP = BB and position 2 of TOS = F and ACT = V, then return error: NWFLSR229 LOCAL SERVICE PROVIDER AUTHORIZATION REQUIRED 5. If populated and dc contains special characters, then return error: NWFLSR247 LSP AUTH IS ALPHA NUMERIC 6. If not populated and position 1 of REQTYP = D and PS.LNA = D, N, V and position 2 of PS.LTOS = P and CCNA not = ACNA, then return error: NWFLSR371 LSP AUTH IS REQUIRED	O
070	LSP AUTH DATE – Local Service Provider Authorization date	Identifies the date that appears on the LSP authorization previously provided to the new service provider.	N	8/8	CC = 00-99 YY= 00-99 MM = 01-12 DD = 01-31	1. If populated and positions 5-6 (MM) not = 01-12, then return error: NWFLSR110 LOCAL SERVICE PROVIDER AUTHORIZATION DATE MONTH MUST BE 01 TO 12 2. If populated and positions 7 8 (DD) not = 01-31, then return error: NWFLSR111 DAY MUST BE 01 TO 31 3. If populated and dl not = 8, then return error: NWFLSR204 LSP AUTHORIZATION DATE MUST BE 8 NUMERIC CHARACTERS – ALPHAS AND SPECIAL CHARACTERS ARE NOT ALLOWED	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						4. If populated and dc not = numeric, then return error: NWFLSR205 LSP AUTHORIZATION DATE MAY ONLY NUMERIC – ALPHA CHARACTERS OR SPECIAL CHARACTERS NOT ALLOWED	
071	LSP AUTH NAME – Local Service Provider Authorization Name	Identifies the name of the person who signed the authorization letter.	AN ' , - . space	1-15		1. If populated and dl > 15, then return error: NWFLSR113 LOCAL SERVICE PROVIDER AUTHORIZATION NAME MAY ONLY BE 1 TO 15 CHARACTERS  2. If populated and special characters not = Apostrophe, Comma, Hyphen, period, Space, then return error: NWFLSR190 LSP AUTH NAME HAS INVALID SPECIAL CHARACTERS  3. If not populated and ACT does not = D and LSP AUTH is populated, return error NWFLSR525 LSP AUTH NAME REQUIRED  4. If populated and ACT=D or LSP AUTH is not populated, return error NWFLSR526 LSP AUTH NAME PROHIBITED	O
071a	LSPAN – Local Service Provider Authorization Number	Identifies the LSP authorization number	AN -	1-16		1. If populated and vv exceeds 16 characters, return error NWFLSR114 LOCAL SERVICE PROVIDER AUTHORIZATION NUMBER MAY ONLY BE 1 TO 16 CHARACTERS  2. If populated and vv contains special character other than hyphen(-), return error NWFLSR201 ONLY SPECIAL CHARACTER ALLOWED IN LSPAN IS HYPHEN	O
072	CIC					<b>FIELD NOT SUPPORTED</b>	P
073	CUST – Customer Name	Identifies the name of the customer who originated this request when that customer has not been assigned a Customer Carrier Name Abbreviation (CCNA) code.	AN	1-25		1. If not populated and CCNA=CUS, return error NWFLSR527 CUST REQUIRED  2. If populated and CCNA does not =CUS, return error NWFLSR528 CUST PROHIBITED	O
074	NPDI – Number Portability Direction	Identifies the direction of LNP conversion activity on this request.	A	1	B= Wireless to Wireline C= Wireline to Wireless D= Wireline to Wireline	1. If populated and REQTYP = CB and vv not = C, D, then return error: NWFLSR115 NUMBER PORTABILITY DIRECTION MAY ONLY BE C OR D FOR THIS REQTYP	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						<p>2. If populated and REQTYP = BB and vv not = D, then return error: NWFLSR116 NUMBER PORTABILITY DIRECTION MAY ONLY BE D FOR THIS REQTYPE</p> <p>3. If not populated and REQTYP = BB, CB, then return error: NWFLSR117 NUMBER PORTABILITY DIRECTION REQUIRED</p> <p>4. If populated and REQTYP not = BB, CB, DB, EB, FB, NB, PB, QB, then return error: NWFLSR315 NUMBER PORTABILITY DIRECTION PROHIBITED</p> <p>5. If not populated and position 1 of REQTYP = D, E and (PS.NPI or RS.NPI = C, E), then return error: NWFLSR372 NPDI IS REQUIRED</p> <p>6. If populated and vv not = B, D and position 1 of REQTYP = D, E and (PS.NPI or RS.NPI = C, E), then return error: NWFLSR373 NPDI VALID VALUE = B, D</p> <p>7. If not populated and position 1 of REQTYP = F and PS.NPI = C, E, then return error: NWFLSR416 NPDI IS REQUIRED FOR NPI</p> <p>8. If populated and vv not = B, D and position 1 of REQTYP = F and PS.NPI = C, E, then return error: NWFLSR417 NPDI VALID VALUE = B, D</p> <p>9. If not populated and position 1 of REQTYP = N and DDPS.NPI = C, E, then return error: NWFLSR418 NPDI IS REQUIRED FOR NPI</p> <p>10. If populated and vv not = B, D and position 1 of REQTYP = N and DDPS.NPI = C, E, then return error: NWFLSR419 NPDI VALID VALUE = B, D</p> <p>11. If not populated and position 1 of REQTYP = P and CRS.NPI = C, E, then return error: NWFLSR420 NPDI IS REQUIRED FOR NPI</p> <p>12. If populated and vv not = B, D and position 1 of REQTYP = P and CRS.NPI = C, E, then return error: NWFLSR421 NPDI VALID VALUE = B, D</p>	

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						<p>13. If not populated and position 1 of REQTYP = Q and IS.NPI = C, E, then return error: NWFLSR422 NPDI IS REQUIRED FOR NPI</p> <p>14. If populated and vv not = B, D and position 1 of REQTYP = Q and IS.NPI = C, E, then return error: NWFLSR423 NPDI VALID VALUE = B, D</p> <p>15. If populated and position 1 of REQTYP = D, F and no occurrence of PS.NPI not = C, E, then return error: NWFLSR424 NPDI IS PROHIBITED FOR NPI</p> <p>16. If populated and position 1 of REQTYP = E and no occurrence of RS.NPI not = C, E, then return error: NWFLSR425 NPDI IS PROHIBITED FOR NPI</p> <p>17. If populated and position 1 of REQTYP = N and no occurrence of DDPS.NPI not = C, E, then return error: NWFLSR426 NPDI IS PROHIBITED FOR NPI</p> <p>18. If populated and position 1 of REQTYP = P and no occurrence of CRS.NPI not = C, E, then return error: NWFLSR427 NPDI IS PROHIBITED FOR NPI</p> <p>19. If populated and position 1 of REQTYP = Q and no occurrence of IS.NPI not = C, E, then return error: NWFLSR428 NPDI IS PROHIBITED FOR NPI</p>	
075	FA					<b>FIELD NOT SUPPORTED</b>	P
076	AFEATURE					<b>FIELD NOT SUPPORTED</b>	P
077	AFEATURE DETAIL					<b>FIELD NOT SUPPORTED</b>	P
078	DLQTY					<b>FIELD NOT SUPPORTED</b>	P
<b>BILL Section</b>							
079	BI1 –Billing Account Identifier 1	Identifies the service type of the billing account number populated in the BAN1 field.	A	1	D-Directory L-Loop P-Port for TR008	1. If populated and vv = D and REQTYP = AB and ACT = V and EU. ELT is not populated and DL form is not present, then return error: NWFLSR119 WHEN BI1 IS D THE ELT FIELD MUST BE POPULATED AND/OR A DL FORM MUST BE SENT	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						<p>2. If populated and vv not = D and BI2 not = D and REQTYP = AB and ACT = C, D, N, V and any occurrence of DL.LACT is populated, then return error: NWFLSR122 BI1 WITH VALUE OF D REQUIRED</p> <p>3. If populated and vv not = D and BI2 not = D and REQTYP = CB and (DL form is populated or EU.ELT= A), then return error: NWFLSR123 BI1 WITH DATA OF D REQUIRED WHEN REQTYP=CB, BI2 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED</p> <p>4. If populated and vv not = D and REQTYP = BB and ACT = V and BI2 not = D and (DL LACT is populated or EU.ELT = A), then return error: NWFLSR302 BI1 WITH DATA OF D REQUIRED WHEN REQTYP=BB and ACT=V BI2 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED</p> <p>5. If populated and vv not = D and BI2 not = D and REQTYP = CB and (DL.LACT is populated or EU.ELT = A), then return error: NWFLSR217 BI1 WITH DATA OF D REQUIRED WHEN REQTYP = CB, BI2 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED</p> <p>6. If populated and vv does not = D, L, P, return error NWFLSR124 BI1 VALID VALUE = D, L, P</p> <p>7. If populated and vv not = D and REQTYP = JB and ACT = V and BI2 not = D and (BAN1 or BAN2 not = EU.MLTN), then return error: NWFLSR296 BILLING ACCOUNT NUMBER IDENTIFIER 1 MUST BE D WHEN THE BAN1 OR BAN2 FIELD DOES NOT EQUAL THE END USER MLTN AND BI2 IS NOT EQUAL TO D</p> <p>8. If populated and vv = D and REQTYP = AB and ACT = N, C and DL form is not present, then return error: NWFLSR346 DL FORM REQUIRED FOR REQTYP/ACT COMBINATION WHEN BI1 IS D</p> <p>9. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: NWFLSR374 BI1 IS PROHIBITED FOR REQTYP</p>	

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						<p>10. If populated and REQTYP = CB and ACT = V and EU. ELT = B or blank, then return error: NWFLSR065 BI1 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK</p> <p>11. If populated vv = D and BI2 = D return error: NWFLSR450 BI1 AND BI2 MAY NOT EQUAL D ON THE SAME ORDER.</p> <p>12. If not populated and BI2 is not populated and REQTYP = AB and ACT = N, V and any occurrence of LACT is populated return error NWFLSR458 BI1 IS REQUIRED</p>	
080	BAN1 – Billing Account Number 1	Identifies the billing account to which the recurring and non-recurring charges for this request will be billed	N	1 or 10	N or valid TN format NNNNNNNNNN	<p>1. If populated and vv = N and BI1 not = D, P, then return error: NWFLSR125 BILLING ACCOUNT NUMBER 1 VALID VALUE OF N ONLY ALLOWED WHEN BI1 = D, P</p> <p>2. If populated and BI1 is not populated, then return error: NWFLSR126 BILLING ACCOUNT NUMBER 1 PROHIBITED</p> <p>3. If populated and vv = N and REQTYP = JB and ACT = C, D, return error NWFLSR127 BAN1 REQUIRES VALID ACCOUNT NUMBER WHEN REQTYP=JB AND ACT= C,D</p> <p>4. If populated and dl =1 and vv not = N, then return error: NWFLSR128 BILLING ACCOUNT NUMBER 1 VALID VALUE MUST BE 'N' WHEN FIELD LENGTH IS ONE CHARACTER</p> <p>5. If populated and dl not = 1 or 10, return error: NWFLSR129 BILLING ACCOUNT NUMBER 1 MAY ONLY BE 1 OR 10 CHARACTERS IN LENGTH</p> <p>6. If not populated and BAN2 not populated and REQTYP = JB, then return error: NWFLSR280 BILLING ACCOUNT NUMBER 1 IS REQUIRED WHEN REQTYP = JB</p> <p>7. If populated and dc contains special characters, then return error: NWFLSR286 BAN1 CANNOT CONTAIN SPECIAL CHARACTERS</p> <p>8. If BI1 is populated and BAN1 is not populated return error NWFLSR456 BAN1 IS REQUIRED WHEN BI1 IS PRESENT</p>	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
081	BI2 – Billing Account Number Identifier 2	Identifies the service type of the billing account number populated in the BAN2 field.	A	1	D-Directory L-Loop P-Port for TR008	<p>1. If populated and vv = D and REQTYP = AB and ACT = V and EU.ELT is not populated and DL form is not present, then return error: NWFLSR130 WHEN BI2 IS D THE ELT FIELD MUST BE POPULATED AND/OR A DL FORM IS REQUIRED</p> <p>2. If populated and vv does not = D, L, P, return error NWFLSR133 BILLING ACCOUNT NUMBER IDENTIFIER 2 MAY ONLY BE D, L, P</p> <p>3. If populated and vv not = D and BI1 not = D and REQTYP = AB and ACT = C, D, N, V and any occurrence of DL.LACT is populated, then return error: NWFLSR307 BI2 WITH VALUE OF D REQUIRED</p> <p>4. If populated and vv not = D and BI1 not = D and REQTYP = CB and (DL form is populated or EU.ELT = A), then return error: NWFLSR308 BI2 WITH DATA OF D REQUIRED WHEN REQTYP=CB, BI1 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED</p> <p>5. If populated and vv not = D and REQTYP = BB and ACT = V and BI1 not = D and (DL form is populated or EU.ELT = A), then return error: NWFLSR309 BI2 WITH DATA OF D REQUIRED WHEN REQTYP=BB and ACT=V, BI1 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED</p> <p>6. If populated and vv not = D and BI1 not = D and REQTYP= CB and (DL Form is populated or EU.ELT = A), then return error: NWFLSR310 BI2 WITH DATA OF D REQUIRED WHEN REQTYP = CB, BI1 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED</p> <p>7. If populated and vv not = D and REQTYP = JB and ACT = V and BI1 not = D and (BAN1 or BAN2 not = EU.MLTN), then return error: NWFLSR312 BILLING ACCOUNT NUMBER IDENTIFIER 2 MUST BE D WHEN THE BAN1 OR BAN2 FIELD DOES NOT EQUAL THE END USER MLTN AND BI1 IS NOT EQUAL TO D</p> <p>8. If populated and vv = D and REQTYP = AB and ACT = N, C and DL form is not present, then return error: NWFLSR347 DL FORM REQUIRED FOR REQTYP/ACT COMBINATION WHEN BI2 IS D</p>	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						<p>9. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: NWFLSR375 BI2 IS PROHIBITED FOR REQTYP</p> <p>10. If populated and REQTYP = CB and ACT = V and EU. ELT = B or blank, then return error: NWFLSR258 BI2 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK</p> <p>11. If populated vv = D and BI1 = D return error: NWFLSR451 BI2 AND BI1 MAY NOT EQUAL D ON THE SAME ORDER.</p> <p>12. If not populated and BI1 is not populated and REQTYP = AB and ACT = C, D, N, V and any occurrence of LACT is populated return error NWFLSR459 BI2 IS REQUIRED</p>	
082	BAN2 – Billing Account Number 2	Identifies the billing account to which the recurring and non-recurring charges for this request will be billed.	N	1 or 10	N or valid TN format NNNNNNNNNN	<p>1. If populated and BI2 is not populated, then return error: NWFLSR134 BILLING ACCOUNT NUMBER 2 PROHIBITED</p> <p>2. If populated and vv = N and REQTYP = JB and ACT = C, D, return error NWFLSR135 BILLING ACCOUNT NUMBER 2 IS PROHIBITED REQTYP=JB AND ACT= C,D</p> <p>3. If populated and dl =1 and vv not = N, then return error: NWFLSR136 BILLING ACCOUNT NUMBER 2 VALID VALUE MUST BE N WHEN FIELD LENGTH IS ONE CHARACTER</p> <p>4. If populated and dl not = 1, 10, return error: NWFLSR137 BILLING ACCOUNT NUMBER 2 MAY ONLY BE 1 OR 10 CHARACTERS IN LENGTH</p> <p>5. If populated and vv = N and BI2 not = D, P, then return error: NWFLSR303 BILLING ACCOUNT NUMBER 2 VALID VALUE OF N ONLY ALLOWED WHEN BI2 = D, P</p> <p>6. If not populated and BAN1 not populated and REQTYP = JB, then return error: NWFLSR304 BILLING ACCOUNT NUMBER 2 IS REQUIRED WHEN REQTYP = JB</p>	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						7. If populated and dc contains special characters, then return error: NWFLSR305 BAN2 CANNOT CONTAIN SPECIAL CHARACTERS  8. If BI2 is populated and BAN2 is not populated return error NWFLSR457 BAN2 IS REQUIRED WHEN BI2 IS PRESENT	
083	ACNA – Access Customer Name Abbreviation	Identifies the COMMON LANGUAGE code of the customer to which the bill is to be rendered.	A	3-3		1. If not populated and REQTYP = AB and ACT = N, D, C and position 2 of TOS = P, then return error: NWFLSR138 ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED  2. If not populated and REQTYP = AB, and ACT = D, N, V and position 2 of TOS is F, then return error: NWFLSR281 ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED  3. If populated and dl not = 3, then return error: NWFLSR139 ACCESS CUSTOMER NAME ABBREVIATION MAY ONLY BE 3 ALPHA CHARACTERS  4. If populated and dc not = alpha, then return error: NWFLSR283 ACCESS CUSTOMER NAME ABBREVIATION MAY ONLY BE 3 ALPHA CHARACTERS  5. If not populated and REQTYP= BB and ACT = V and position 2 of TOS = F, then return error: NWFLSR282 ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED  6. If not populated and position 1 of REQTYP = D and PS.LNA = D, N, V and position 2 of PS.LTOS = P, then return error: NWFLSR376 ACNA IS REQUIRED	O
084	EBD – Effective Billing Date	Identifies the effective date to begin or cease billing when the billing date is different from the desired due date.	AN	10	CCYYMMDD CC = 00-99 YY= 00-99 MM = 01-12 DD=01-31	1. If populated and dl not = 8 characters, then return error: NWFLSR182 EBD EFFECTIVE BILLING DATE LENGTH MUST BE 8 CHARACTERS  2. If populated and dc not = numeric, then return error: NWFLSR183 EBDEFFECTIVE BILLING DATE DATA MUST BE NUMERIC  3. If populated and positions 5 to 6 (MM) are not 01 to12, then return error: NWFLSR184 EBD EFFECTIVE BILLING DATE MONTH MUST BE 01 TO12	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						4. If populated and positions 7-8 (DD) not = 01-31, then return error: NWFLSR185 EBD EFFECTIVE BILLING DATE DAY MUST BE 01 TO 31	
085	NRI					<b>FIELD NOT SUPPORTED (NWFLSR464)</b>	P
086	BILLNM – Billing Name	Identifies the name of the person, office or company to whom the customer has designated that the bill be sent.	AN & ' \$ - # ( ) % . “ space	1-25		1. If populated and dl > 25, then return error: NWFLSR142 BILLING NAME MAY NOT EXCEED 25 CHARACTERS 2. If populated and special characters not = apostrophe, ampersand, dollar sign, hyphen, number sign, double parentheses, percent sign, period, quotation marks, space, then return error: NWFLSR143 INVALID SPECIAL CHARACTERS IN BILL NAME 3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: NWFLSR378 BILLNM IS PROHIBITED FOR REQTYP	O
087	SBILLNM – Secondary Billing Name	Identifies the name of a department or group within the designated BILLNM field entry.	AN & ' \$ - # ( _ % . “ space	1-25		1. If populated and dl > 25, then return error: NWFLSR144 SECONDARY BILLING NAME MAY NOT EXCEED 25 CHARACTERS 2. If populated and special characters not = apostrophe, ampersand, dollar sign, hyphen, number sign, double parentheses, percent sign, period, quotation marks, space, then return error: NWFLSR145 INVALID SPECIAL CHARACTERS IN SECONDARY BILL NAME 3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: NWFLSR379 SBILLNM IS PROHIBITED FOR REQTYP	O
087 a	TE –Tax Exempt		A	1	F, S, C, M, A, B, K, D, E, G, H, I, J, L, N, P	1. If populated and vv not = F, S, C, M, A, B, K, D, E, G, H, I, J, L, N, P return error message NWFLSR146 TAX EXEMPT MAY ONLY BE F, S, C, M, A, B, K, D, E, G, H, I, J, L, N, P	O
088	STREET- Street Bill Address	Identifies the street address.	AN & ' , - / space	1-25		1. If populated and dl > 25, then return error: NWFLSR147 STREET BILL ADDRESS MAY NOT EXCEED 25 CHARACTERS 2. If populated and special characters does not = ampersand, apostrophe, comma, hyphen, virgule, space, then return error: NWFLSR148 INVALID SPECIAL CHARACTERS IN STREET 3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: NWFLSR380 STREET IS PROHIBITED FOR REQTYP	O
089	FLOOR – Bill Floor	Identifies the floor.	AN	1-10		1. If populated and dl > 10, then return error: NWFLSR149 BILL FLOOR MAY NOT EXCEED 10 CHARACTERS	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
			,			2. If populated and special characters not = Comma, Space, then return error: NWFLSR150 INVALID SPECIAL CHARACTERS IN FLOOR  3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: NWFLSR381 FLOOR IS PROHIBITED FOR REQTYP	
090	ROOM/MAIL STOP- Bill Room/Mail stop	Identifies the room or mail stop.	AN -, space	1-10		1. If populated and dl > 10, then return error: NWFLSR151 BILL ROOM/MAIL STOP MAY NOT EXCEED 10 CHARACTERS  2. If populated and special characters not = hyphen, comma, space, then return error: NWFLSR152 INVALID SPECIAL CHARACTERS IN ROOM/MAIL STOP  3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: NWFLSR382 ROOM/MAIL STOP IS PROHIBITED FOR REQTYP	O
091	CITY-Bill City	Identifies the city, village, township, etc.	AN & ' - # ( ) * space	1-32		1. If populated and dl > 32, then return error: NWFLSR153 BILL CITY MUST BE 1 TO 32 CHARACTERS  2. If populated and special characters not = ampersand, asterisk, apostrophe, hyphen, space, number sign, parentheses, then return error: NWFLSR154 INVALID SPECIAL CHARACTERS IN CITY  3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: NWFLSR383 CITY IS PROHIBITED FOR REQTYP	O
092	STATE – Bill State	Identifies the abbreviation for the state or province.	A	2		1. If populated and dc not = alpha, then return error: NWFLSR155 BILL STATE MAY ONLY BE 2 ALPHA CHARACTERS  2. If populated and dl not = 2, then return error: NWFLSR284 BILL STATE MAY ONLY BE 2 ALPHA CHARACTERS  3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: NWFLSR384 STATE IS PROHIBITED FOR REQTYP	O
093	ZIP – Bill ZIP/Postal Code	Identifies the ZIP code, ZIP code + extension or postal code.	AN	1-12		1. If populated and dl > 12, then return error: NWFLSR156 BILL ZIP/POSTAL CODE MAY NOT EXCEED 12 CHARACTERS	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						2. If populated and special character not = space, then return error: NWFLSR188 ZIP/POSTAL CODE CONTAINS INVALID CHARACTERS  3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: NWFLSR385 ZIP IS PROHIBITED FOR REQTYP	
094	BILLCON – Billing Contact	Identifies the name of the person or office to be contacted on billing matters.	AN ' , - . space	1-25		1. If populated and dl > 25, then return error: NWFLSR157 BILLING CONTACT MAY NOT EXCEED 25 CHARACTERS  2. If populated and special characters not = apostrophe, comma, hyphen, period, space, then return error: NWFLSR158 INVALID SPECIAL CHARACTERS IN BILLCON  3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: NWFLSR386 BILLCON IS PROHIBITED FOR REQTYP	O
095	TEL NO – Bill Contact Telephone Number	Identifies the telephone number.	AN	10-14 Allow hyphen s	TN format NNN-NNN-NNNN	1. If populated and (dl < 10 or > 14), then return error: NWFLSR203 BILL CONTACT TEL NO MUST BE 10-14 CHARACTERS  2. If populated and special character not = hyphen, then return error: NWFLSR191 HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR BILL CONTACT TELEPHONE NUMBER  3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: NWFLSR387 TEL NO IS PROHIBITED FOR REQTYP	O
096	VTA					<b>FIELD NOT SUPPORTED</b>	P
<b>Contact Section</b>							
097	INIT – Initiator Identification	Identifies the customer's representative who originated this request.	AN ' , - . space	1-25		1. If populated and dl > 25, then return error: NWFLSR160 INITIATOR IDENTIFICATION MAY NOT EXCEED 25 CHARACTERS  2. If populated and special characters not = apostrophe, comma, hyphen, period, space, then return error: NWFLSR161 INVALID SPECIAL CHARACTERS IN INIT  3. If not populated and REQTYP does not equal CB and ACT does not equal V, then return error: NWFLSR192 INITIATOR REQUIRED	C
098	TEL NO – Initiator	Identifies the telephone number of the initiator	AN -	10-14 Allow hyphen		1. If not populated, then return error: NWFLSR193 INITIATOR TELEPHONE NUMBER REQUIRED	R

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
	Telephone Number					2. If populated and (dl < 10 or > 14), then return error: NWFLSR194 INITIATOR TELEPHONE NUMBER MUST BE 10-14 CHARACTERS  3. If populated and special characters not = hyphen, then return error: NWFLSR195 HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR INITIATOR TELEPHONE NUMBER	
099	EMAIL – Electronic Mail	Identifies the electronic mail address of the initiator.	AN	1-60		1. If populated and dl>60, return error NWFLSR529 EMAIL CANNOT EXCEED 60 CHARACTERS  2. If not populated and LSR.SUP = 6, return error NWFLSR471 EMAIL REQUIRED	O
100	FAX NO – Facsimile Number	Identifies the fax number of the initiator	N	10		1. If populated and dl does not = 10 or dc is not numeric, return error NWFLSR530 FAX NO MUST BE 10 DIGIT NUMERIC	O
101	IMPCON – Implementation Contact	Identifies the customer's representative or office responsible for control of installation and completion.	AN ' , - . space	1-15		1. If not populated and CHC = Y, A, B, then return error: NWFLSR163 IMPLEMENTATION CONTACT IS REQUIRED WHEN CHC = Y, A OR B  2. If populated and dl > 15, then return error: NWFLSR164 IMPLEMENTATION CONTACT MAY NOT EXCEED 15 CHARACTERS  3. If populated and special character not = apostrophe, comma, hyphen, period, space, then return error: NWFLSR165 INVALID SPECIAL CHARACTERS IN IMPCON  4. If not populated and REQTYP = AB and (LS.CI = E or LS.LNA = N), then return error: NWFLSR351 IMPLEMENTATION CONTACT IS REQUIRED  5. If not populated and position 1 of REQTYP = D and PS.LNA = N, T, then return error: NWFLSR388 IMPCON IS REQUIRED  6. If not populated and position 1 of REQTYP = E and RS.LNA = N, T, then return error: NWFLSR389 IMPCON IS REQUIRED  7. If not populated and REQTYP = FB and PS.LNA = N, return error NWFLSR429 IMPCON IS REQUIRED FOR LNA	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						<p>8. If not populated and position 1 of REQTYP = K and RPL.LNA = N, then return error: NWFLSR430 IMPCON IS REQUIRED FOR LNA</p> <p>9. If not populated and position 1 of REQTYP = L and RFR.LNA = N, then return error: NWFLSR431 IMPCON IS REQUIRED FOR LNA</p> <p>10. If not populated and position 1 of REQTYP = N and DDPS.TNA = N, then return error: NWFLSR432 IMPCON IS REQUIRED FOR TNA</p> <p>11. If not populated and position 1 of REQTYP = P and CRS.LNA = N, then return error: NWFLSR433 IMPCON IS REQUIRED FOR LNA</p> <p>12. If not populated and position 1 of REQTYP = Q and IS.LNA = N, then return error: NWFLSR434 IMPCON IS REQUIRED FOR LNA</p> <p>13. If not populated and LSR.SUP = 6, return error NWFLSR470 IMPLEMENTATION CONTACT IS REQUIRED</p>	
102	TEL NO – Implementation Contact Telephone Number	Indicates the telephone number of the implementation contact.	N -	10-14		<p>1. If not populated and IMPCON is populated, then return error: NWFLSR166 IMPLEMENTATION CONTACT TELEPHONE NUMBER IS REQUIRED</p> <p>2. If populated and IMPCON is not populated, then return error: NWFLSR167 IMPLEMENTATION CONTACT TELEPHONE NUMBER IS PROHIBITED</p> <p>3. If populated and (dl &lt; 10 or &gt; 14), then return error: NWFLSR196 IMPLEMENTATION CONTACT TELEPHONE NUMBER MUST BE 10-14 CHARACTERS</p> <p>4. If populated and special characters not = hyphen, then return error: NWFLSR197 HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR IMPLEMENTATION CONTACT TELEPHONE NUMBER</p>	
102 a	PAGER – Implementation Contact Pager Number	Indicates the pager number of the implementation contact	AN & ' * : , \$ - # ( ) % . + " ; / space	10-25		1. If populated and virgule (/) exists and is not immediately preceded and followed by a numeric, then return error: NWFLSR169 VIRGULE (FORWARD SLASH) IN DATA MUST BE PRECEDED AND FOLLOWED BY A NUMERIC	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						<p>2. If populated and (dl &lt; 10 or &gt; 25), then return error: NWFLSR170 IMPLEMENTATION CONTACT PAGER NUMBER MUST BE 10 – 25 CHARACTERS</p> <p>3. If populated and special character not = Ampersand, Apostrophe, Asterisk, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Parentheses, Percent Sign, Period, Plus Sign, Quotation Marks, Semicolon, Space, Virgule, then return error: NWFLSR171 INVALID SPECIAL CHARACTERS IN PAGER</p> <p>4. If populated and IMPCON is not populated, then return error: NWFLSR316 PAGER PROHIBITED WHEN IMPCON NOT POPULATED</p>	
103	ALT IMPCON – Alternate Implementation Contact	Identifies the customer's alternative representative or office responsible for control of installation and completion.	AN ' , - . space	1-15		<p>1. If populated and dl &gt; 15, then return error: NWFLSR172 ALTERNATE IMPLEMENTATION CONTACT MAY NOT EXCEED 15 CHARACTERS</p> <p>2. If populated and special character not = apostrophe, comma, hyphen, period, space, then return error: NWFLSR173 INVALID SPECIAL CHARACTERS IN ALT IMPCON</p> <p>3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: NWFLSR390 ALT IMPCON IS PROHIBITED FOR REQTYP</p>	O
104	TEL NO – Alternate Implementation Contact Telephone Number	Identifies the telephone number of the alternate implementation contact.	N -	10-14		<p>1. If populated and ALT IMPCON is not populated, then return error: NWFLSR174 ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER IS PROHIBITED</p> <p>2. If not populated and ALT IMPCON is populated, then return error: NWFLSR175 ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER IS REQUIRED</p> <p>3. If populated and (dl &lt; 10 or &gt; 14), then return error: NWFLSR198 ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER MUST BE 10-14 CHARACTERS</p> <p>4. If populated and special characters not = hyphen, then return error: NWFLSR199 HYPHEN IS THE ONLY SPECIAL CHARACTER</p>	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
						ALLOWED FOR ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER	
104 a	PAGER – Alternate Implementation Contact Pager Number	Indicates the pager number of the alternate implementation contact	AN & ' * : , \$ - # ( ) % . + " ; / space	10-25		1. If populated and (dl < 10 or > 25), then return error: NWFLSR177 ALTERNATE IMPLEMENTATION CONTACT PAGER NUMBER MUST BE 10 TO 25 CHARACTERS 2. If populated and vv contains Virgule and it is not preceded and followed by a numeric, then return error: NWFLSR245 PAGER WHEN A VIRGULE IS USED IT MUST BE PRECEDED AND FOLLOWED BY A NUMERIC. 3. If populated and special characters not = Ampersand, Apostrophe, Asterisk, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Parentheses, Percent Sign, Period, Plus Sign, Quotation Marks, Semicolon, Space and, then return error: NWFLSR298 INVALID SPECIAL CHARACTERS 4. If populated and ALT IMPCON is not populated, then return error: NWFLSR317 PAGER PROHIBITED WHEN ALT IMPCON NOT POPULATED	O
105	DSGCON					<b>FIELD NOT SUPPORTED</b>	P
106	DRC					<b>FIELD NOT SUPPORTED</b>	P
107	TEL NO					<b>FIELD NOT SUPPORTED</b>	P
108	FAX NO					<b>FIELD NOT SUPPORTED</b>	P
109	EMAIL					<b>FIELD NOT SUPPORTED</b>	P
110	STREET					<b>FIELD NOT SUPPORTED</b>	P
111	FLOOR					<b>FIELD NOT SUPPORTED</b>	P
112	ROOM/MAIL STOP					<b>FIELD NOT SUPPORTED</b>	P
113	CITY					<b>FIELD NOT SUPPORTED</b>	P
114	STATE					<b>FIELD NOT SUPPORTED</b>	P
115	ZIP					<b>FIELD NOT SUPPORTED</b>	P
<b>REMARKS Section</b>							
116	REMARKS – Remarks	Identifies the first occurrence of a free flowing field that can be used to	AN & ' ; , \$ - # ( ) % . +	1-500		1. If populated and virgule (/) exists and is not immediately preceded and followed by a numeric, then return error: NWFLSR178 VIRGULE (FORWARD SLASH) IN DATA MUST BE PRECEDED AND FOLLOWED BY A NUMERIC	O

**NWF Local Business Rules**  
**Version: 9.30.20.1**

**LSR FORM**  
**Effective: 05/01/2020**

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/ O/ P
		expand upon and clarify other data on this request.	“ ; / space			<p>2. If populated and dl &gt; 500, then return error: NWFLSR179  REMARKS MAY NOT EXCEED 500 CHARACTERS</p> <p>3. If populated and special characters not = ampersand, apostrophe, colon, comma, dollar sign, hyphen, number sign, parentheses, percent sign, period, plus sign, quotation marks, semicolon, space, virgule, at sign(@) , then return error: NWFLSR200 INVALID SPECIAL CHARACTERS IN REMARKS</p> <p>4. If not populated and SUP = 3, then return error: NWFLSR318  REMARKS REQUIRED WHEN SUP 3</p>	

**APPENDIX A: ERROR MESSAGE TABLE**

Error Message Number	Error Message Text
NWFLSR001	CUSTOMER CARRIER NAME ABBREVIATION REQUIRED
NWFLSR002	CCNA OF 'CUS' REQUIRES AN ENTRY IN CC
NWFLSR003	CUSTOMER CARRIER NAME ABBREVIATION DATA MUST BE 3 CHARACTERS
NWFLSR004	CUSTOMER CARRIER NAME ABBREVIATION DATA MUST BE ALPHABETIC
NWFLSR005	DESIRED DUE DATE OR DESIRED DUE DATE OUT MUST BE GREATER THAN OR EQUAL TO CURRENT DATE
NWFLSR006	PURCHASE ORDER NUMBER MUST BE 4-16 CHARACTERS
NWFLSR007	PURCHASE ORDER NUMBER IS REQUIRED
NWFLSR008	ONLY SPECIAL CHARACTER ALLOWED IN PON IS HYPHEN
NWFLSR009	VERSION REQUIRED WITH SUP
NWFLSR010	VERSION DATA LENGTH MUST BE 2 CHARACTERS
NWFLSR011	LOCATION QUANTITY IS REQUIRED
NWFLSR012	LOCATION QUANTITY MUST BE NUMERIC CHARACTERS
NWFLSR013	HTQTY IS PROHIBITED FOR REQTYP/ACT
NWFLSR014	ATN NOT ALLOWED FOR REQTYP
NWFLSR015	DDD MUST BE GREATER THAN OR EQUAL TO CURRENT DATE
NWFLSR016	DESIRED DUE DATE LENGTH MUST BE 8 CHARACTERS
NWFLSR017	DESIRED DUE DATE DATA MUST BE NUMERIC
NWFLSR018	DESIRED DUE DATE MONTH MUST BE 01-12
NWFLSR019	DESIRED DUE DATE DAY MUST BE 01-31
NWFLSR020	DESIRED DUE DATE IS REQUIRED
NWFLSR021	DESIRED FRAME DUE TIME LENGTH MUST BE 6 CHARACTERS

**NWF Local Business Rules****Version: 9.30.20.1****LSR FORM****Effective: 05/01/2020**

Error Message Number	Error Message Text
NWFSLR022	DESIRED DUE DATE OUT VALID DATE FORMAT CCYYMMDD REQUIRED
NWFSLR023	DESIRED DUE DATE OUT DATA LENGTH MUST BE 8 CHARACTERS
NWFSLR024	DESIRED DUE DATE OUT DATA MUST BE NUMERIC
NWFSLR025	DESIRED DUE DATE OUT MONTH MUST BE 01-12
NWFSLR026	DESIRED DUE DATE OUT DAY MUST BE 01-31
NWFSLR027	NOR INVALID DATA IN LAST 2 POSITIONS
NWFSLR028	NOR PROHIBITED WHEN RPON IS NOT PRESENT
NWFSLR029	NOR IS REQUIRED WHEN RPON IS PRESENT
NWFSLR030	NOR LENGTH MUST BE 4 CHARACTERS
NWFSLR031	DESIRED FRAME DUE TIME VALID FORMAT IS HHMMAM OR HHMMPM
NWFSLR032	DFDT IS REQUIRED WHEN CHC IS Y, A or B
NWFSLR033	CCNA VALID VALUE = CUS IS PROHIBITED
NWFSLR034	REQTYP INVALID FOR SERVICE TERRITORY
NWFSLR035	REQTYP MUST = AB, BB
NWFSLR036	DESIRED FRAME DUE TIME HOUR MUST BE 01 – 12
NWFSLR037	VERSION REQUIRED
NWFSLR038	
NWFSLR039	PROJINDR IS REQUIRED WHEN PROJECT IS PRESENT
NWFSLR040	PROJECT INDICATOR MAY ONLY BE C OR V
NWFSLR041	PROJECT IDENTIFICATION DATA MAY NOT EXCEED 16 CHARACTERS
NWFSLR042	INVALID SPECIAL CHARACTER (S) IN PROJECT
NWFSLR043	DESIRED FRAME DUE TIME MINUTE MUST BE 00 – 59
NWFSLR044	INVALID SPECIAL CHARACTERS
NWFSLR045	DATA MAY ONLY BE Y OR A OR B
NWFSLR046	REQTYP IS PROHIBITED
NWFSLR047	SUB LOOP INDICATOR IS PROHIBITED
NWFSLR048	SUB LOOP INDICATOR IS REQUIRED
NWFSLR049	SUB LOOP INDICATOR DATA MAY ONLY BE B, C, H, V OR S
NWFSLR050	ACT MAY ONLY BE N, V, C, D, T, R, M
NWFSLR051	ACT MAY ONLY BE V
NWFSLR052	DESIRED FRAME DUE TIME ONLY AM OR PM ALLOWED IN LAST TWO POSITIONS OF THE DATA
NWFSLR053	HTQTY IS REQUIRED
NWFSLR054	ACTIVITY MUST BE V FOR REQTYP BB
NWFSLR055	HTQTY IS PROHIBITED
NWFSLR056	ONSP IS PROHIBITED FOR REQTYP
NWFSLR057	SUP 4 OR 5 IS ONLY ALLOWED IF SLI IS S
NWFSLR058	SLI MUST BE S
NWFSLR059	SUP MUST BE 1, 2, 3, 4 , 5, 6 or 7
NWFSLR060	EXPEDITE IS PROHIBITED
NWFSLR061	EXP VALID VALUE=Y

**NWF Local Business Rules****Version: 9.30.20.1****LSR FORM****Effective: 05/01/2020**

Error Message Number	Error Message Text
NWFSLR062	EXP PROHIBITED WHEN THE CHC = A or B
NWFSLR063	COMPANY CODE IS PROHIBITED
NWFSLR064	COMPANY CODE DATA MUST BE 4 CHARACTERS
NWFSLR065	BI1 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK
NWFSLR066	HTQTY IS PROHIBITED
NWFSLR067	NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERS
NWFSLR068	TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORY
NWFSLR069	AGENCY AUTHORIZATION STATUS IS REQUIRED
NWFSLR070	HTQTY VALID VALUE = 2 NUMERIC
NWFSLR071	ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED
NWFSLR072	ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED
NWFSLR073	ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS
NWFSLR074	SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED
NWFSLR075	SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED
NWFSLR076	SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS
NWFSLR077	
NWFSLR078	LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS
NWFSLR079	LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS
NWFSLR080	TYPE OF SERVICE IS INVALID
NWFSLR081	FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3
NWFSLR082	FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1
NWFSLR083	
NWFSLR084	SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7
NWFSLR085	THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE B, M, F, P, -(hyphen)
NWFSLR086	FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, W, - (hyphen), 1, 2, S, L
NWFSLR087	ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP
NWFSLR088	SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS
NWFSLR089	NETWORK CHANNEL CODE IS REQUIRED
NWFSLR090	NETWORK CHANNEL CODE MUST BE 4 CHARACTERS
NWFSLR091	NETWORK CHANNEL INTERFACE CODE IS REQUIRED
NWFSLR092	NETWORK CHANNEL INTERFACE CODE IS PROHIBITED
NWFSLR093	NETWORK CHANNEL INTERFACE CODE MAY ONLY BE 5-12 CHARACTERS
NWFSLR094	INVALID SPECIAL CHARACTERS IN NCI
NWFSLR095	
NWFSLR096	SECNCI MAY ONLY BE 5-12 CHARACTERS
NWFSLR097	INVALID SPECIAL CHARACTERS IN SECNCI
NWFSLR098	RELATED PON PROHIBITED WHEN NOR IS NOT PRESENT
NWFSLR099	RELATED PON REQUIRED WHEN NOR IS PRESENT
NWFSLR100	RELATED PON MUST BE 4 TO 16 CHARACTERS

**NWF Local Business Rules****Version: 9.30.20.1****LSR FORM****Effective: 05/01/2020**

Error Message Number	Error Message Text
NWFSLR101	INVALID SPECIAL CHARACTERS IN RPON
NWFSLR102	RELATED PON VERSION PROHIBITED WHEN RELATED PON IS NOT PRESENT
NWFSLR103	RPVER IS REQUIRED WHEN RPON IS PRESENT
NWFSLR104	RELATED PON VERSION MUST BE IN THE RANGE OF 00-99
NWFSLR105	RELATED ORDER NUMBER MAY NOT EXCEED 20 CHARACTERS
NWFSLR106	LOCAL SERVICE PROVIDER AUTHORIZATION REQUIRED
NWFSLR107	LOCAL SERVICE PROVIDER AUTHORIZATION MUST BE 1 TO 4 CHARACTERS
NWFSLR108	ATN IS REQUIRED
NWFSLR109	ATN IS REQUIRED
NWFSLR110	LOCAL SERVICE PROVIDER AUTHORIZATION DATE MONTH MUST BE 01-12
NWFSLR111	DAY MUST BE 01 TO 31
NWFSLR112	ATN IS REQUIRED
NWFSLR113	LOCAL SERVICE PROVIDER AUTHORIZATION NAME MAY ONLY BE 1-15 CHARACTERS
NWFSLR114	LOCAL SERVICE PROVIDER AUTHORIZATION NUMBER MAY ONLY BE 1 TO 16 CHARACTERS
NWFSLR115	NUMBER PORTABILITY DIRECTION MAY ONLY BE C OR D FOR THIS REQTYP
NWFSLR116	NUMBER PORTABILITY DIRECTION MAY ONLY BE D FOR THIS REQTYP
NWFSLR117	NUMBER PORTABILITY DIRECTION REQUIRED
NWFSLR118	ATN VALID VALUE = N IS PROHIBITED
NWFSLR119	WHEN BI1OR BI2 IS D THE ELT FIELD MUST BE POPULATED AND/OR A DL FORM MUST BE SENT
NWFSLR120	ATN MUST EQUAL LTN WHEN AC = A
NWFSLR121	ATN IS REQUIRED
NWFSLR122	BI1 WITH VALUE OF D REQUIRED
NWFSLR123	BI1 WITH DATA OF D REQUIRED WITH REQTYP=CB, WHEN REQTYP=CB, BI2 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED
NWFSLR124	BI1 VALID VALUE = D, L, P
NWFSLR125	BILLING ACCOUNT NUMBER 1 VALID VALUE OF N ONLY ALLOWED WHEN BI1 = D, P
NWFSLR126	BILLING ACCOUNT NUMBER 1 PROHIBITED
NWFSLR127	BAN1 REQUIRES VALID ACCOUNT NUMBER WHEN REQTYP=JB AND ACT= C,D
NWFSLR128	BILLING ACCOUNT NUMBER 1 VALID VALUE MUST BE 'N' WHEN FIELD LENGTH IS ONE CHARACTER
NWFSLR129	BAN1 BILLING ACCOUNT NUMBER 1 MAY ONLY BE 1, OR 10 CHARACTERS IN LENGTH
NWFSLR130	WHEN BI1OR BI2 IS D THE ELT FIELD MUST BE POPULATED AND/OR A DL FORM IS REQUIRED
NWFSLR131	ATN VALID VALUE = N OR 10 NUMERIC
NWFSLR132	DFDT MUST BE 1100PM
NWFSLR133	BILLING ACCOUNT NUMBER IDENTIFIER 2 MAY ONLY BE D, L, P
NWFSLR134	BILLING ACCOUNT NUMBER 2 PROHIBITED
NWFSLR135	BILLING ACCOUNT NUMBER 2 IS PROHIBITED REQTYP=JB AND ACT= C,D
NWFSLR136	IF BILLING ACCOUNT NUMBER 2 IS ONLY 1 ALPHABETIC CHARACTER IT MUST BE N WHEN FIELD LENGTH IS ONE CHARACTER
NWFSLR137	BILLING ACCOUNT NUMBER 2 MAY ONLY BE 1, OR 10 CHARACTERS IN LENGTH
NWFSLR138	ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED

**NWF Local Business Rules****Version: 9.30.20.1****LSR FORM****Effective: 05/01/2020**

Error Message Number	Error Message Text
NWFSLR139	ACCESS CUSTOMER NAME ABBREVIATION MAY ONLY BE 3 ALPHA CHARACTERS
NWFSLR140	DFDT MUST BE 1145PM
NWFSLR141	TOS REQUIRED
NWFSLR142	BILLING NAME MAY NOT EXCEED 25 CHARACTERS
NWFSLR143	INVALID SPECIAL CHARACTERS IN BILL NAME
NWFSLR144	SECONDARY BILLING NAME MAY NOT EXCEED 25 CHARACTERS
NWFSLR145	INVALID SPECIAL CHARACTERS IN SECONDARY BILL NAME
NWFSLR146	TAX EXEMPT MAY ONLY BE F, S, C, M, A, B, K, D, E, G, H, I, J, L, N, P
NWFSLR147	STREET BILL ADDRESS MAY NOT EXCEED 25 CHARACTERS
NWFSLR148	INVALID SPECIAL CHARACTERS IN STREET
NWFSLR149	BILL FLOOR MAY NOT EXCEED 10 CHARACTERS
NWFSLR150	INVALID SPECIAL CHARACTERS IN FLOOR
NWFSLR151	BILL ROOM/MAIL STOP MAY NOT EXCEED 10 CHARACTERS
NWFSLR152	INVALID SPECIAL CHARACTERS IN ROOM/MAIL STOP
NWFSLR153	BILL CITY MUST BE 1 TO 32 CHARACTERS
NWFSLR154	INVALID SPECIAL CHARACTERS IN CITY
NWFSLR155	BILL STATE MAY ONLY BE 2 ALPHA CHARACTERS
NWFSLR156	BILL ZIP/POSTAL CODE MAY NOT EXCEED 12 CHARACTERS
NWFSLR157	BILLING CONTACT MAY NOT EXCEED 25 CHARACTERS
NWFSLR158	INVALID SPECIAL CHARACTERS IN BILLCON
NWFSLR159	DDDO MUST BE LESS THAN OR EQUAL TO DDD
NWFSLR160	INITIATOR IDENTIFICATION MAY NOT EXCEED 25 CHARACTERS
NWFSLR161	INVALID SPECIAL CHARACTERS IN INIT
NWFSLR162	DDDO MUST BE LESS THAN OR EQUAL TO DDD
NWFSLR163	IMPLEMENTATION CONTACT IS REQUIRED WHEN CHC = Y, A OR B
NWFSLR164	IMPLEMENTATION CONTACT MAY NOT EXCEED 15 CHARACTERS
NWFSLR165	INVALID SPECIAL CHARACTERS IN IMPCON
NWFSLR166	IMPLEMENTATION CONTACT TELEPHONE NUMBER IS REQUIRED
NWFSLR167	IMPLEMENTATION CONTACT TELEPHONE NUMBER IS PROHIBITED
NWFSLR168	DDDO IS PROHIBITED
NWFSLR169	VIRGULE (FORWARD SLASH) IN DATA MUST BE PRECEDED AND FOLLOWED BY A NUMERIC
NWFSLR170	IMPLEMENTATION CONTACT PAGER NUMBER MUST BE 10 – 25 CHARACTERS
NWFSLR171	INVALID SPECIAL CHARACTERS IN PAGER
NWFSLR172	ALTERNATE IMPLEMENTATION CONTACT MAY NOT EXCEED 15 CHARACTERS
NWFSLR173	INVALID SPECIAL CHARACTERS IN ALT IMPCON
NWFSLR174	ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER IS PROHIBITED
NWFSLR175	ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER IS REQUIRED
NWFSLR176	APPTIME DDDO IS PROHIBITED WHEN SLI = B
NWFSLR177	ALTERNATE IMPLEMENTATION CONTACT PAGER NUMBER MUST BE 10 TO 25 CHARACTERS
NWFSLR178	VIRGULE (FORWARD SLASH) IN DATA MUST BE PRECEDED AND FOLLOWED BY A NUMERIC

**NWF Local Business Rules****Version: 9.30.20.1****LSR FORM****Effective: 05/01/2020**

Error Message Number	Error Message Text
NWFSLR179	REMARKS MAY NOT EXCEED 500 CHARACTERS
NWFSLR180	VER MUST BE NUMERIC
NWFSLR181	ACTL HAS INVALID CHARACTERS
NWFSLR182	EBD EFFECTIVE BILLING DATE LENGTH MUST BE 8 CHARACTERS
NWFSLR183	EBD EFFECTIVE BILLING DATE DATA MUST BE NUMERIC
NWFSLR184	EBD EFFECTIVE BILLING DATE MONTH MUST BE 01 TO 12
NWFSLR185	EBD EFFECTIVE BILLING DATE DAY MUST BE 01 TO 31
NWFSLR186	DFDT MUST BE BETWEEN 0700AM AND 0700PM
NWFSLR187	PRODUCT ARRANGEMENT NOT VALID FOR REQTYP
NWFSLR188	ZIP/POSTAL CODE CONTAINS INVALID CHARACTERS
NWFSLR189	PROJECT INDICATOR IS PROHIBITED WHEN PROJECT IS NOT PRESENT
NWFSLR190	LSP AUTH NAME HAS INVALID SPECIAL CHARACTERS
NWFSLR191	HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR BILL CONTACT TELEPHONE NUMBER
NWFSLR192	INITIATOR REQUIRED
NWFSLR193	INITIATOR TELEPHONE NUMBER REQUIRED
NWFSLR194	INITIATOR TELEPHONE NUMBER MUST BE 10-14 CHARACTERS
NWFSLR195	HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR INITIATOR TELEPHONE NUMBER
NWFSLR196	IMPLEMENTATION CONTACT TELEPHONE NUMBER MUST BE 10-14 CHARACTERS
NWFSLR197	HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR IMPLEMENTATION CONTACT TELEPHONE NUMBER
NWFSLR198	ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER MUST BE 10-14 CHARACTERS
NWFSLR199	HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER
NWFSLR200	INVALID SPECIAL CHARACTERS IN REMARKS
NWFSLR201	ONLY SPECIAL CHARACTER ALLOWED IN LSPAN IS HYPHEN
NWFSLR202	TOS IS REQUIRED
NWFSLR203	BILL CONTACT TEL NO MUST BE 10-14 CHARACTERS
NWFSLR204	LSP AUTHORIZATION DATE MUST BE 8 NUMERIC CHARACTERS – ALPHAS AND SPECIAL CHARACTERS ARE NOT ALLOWED
NWFSLR205	LSP AUTHORIZATION DATE MAY ONLY NUMERIC- ALPHA CHARACTERS OR SPECIAL CHARACTERS NOT ALLOWED
NWFSLR206	DATE/TIME SENT IS REQUIRED
NWFSLR207	DATE/TIME SENT MUST BE 14 CHARACTERS
NWFSLR208	DATE/TIME SENT MONTH MUST BE 01-12
NWFSLR209	DATE/TIME SENT DAY MUST BE 01 – 31
NWFSLR210	DATE/TIME SENT HOUR MUST BE 01-12
NWFSLR211	DATE/TIME SENT MINUTES MUST BE 00-59
NWFSLR212	DATE/TIME SENT MUST BE NUMERIC IN POSITION 1-12
NWFSLR213	PON CANNOT CONTAIN LOWER CASE ALPHA CHARACTERS
NWFSLR214	REQTYP IS A REQUIRED FIELD
NWFSLR215	ACT IS A REQUIRED FIELD
NWFSLR216	ACTL REQUIRED WHEN APOT IS POPULATED

**NWF Local Business Rules****Version: 9.30.20.1****LSR FORM****Effective: 05/01/2020**

Error Message Number	Error Message Text
NWFSLR217	BI1 WITH DATA OF D REQUIRED WHEN REQTYP = CB, BI2 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED
NWFSLR218	ACT VALID VALUES = N, C, J, M, T, D, R, V, W, S, B, Y
NWFSLR219	AM OR PM REQUIRED IN POSITIONS 13 AND 14 ON D/TSENT
NWFSLR220	NC REQUIRED
NWFSLR221	SLI IS REQUIRED
NWFSLR222	
NWFSLR223	CHC VALUE OF A OR B INVALID
NWFSLR224	SCA CAN ONLY BE Y
NWFSLR225	SCA REQUIRED WITH SUP 7
NWFSLR226	SCA ONLY VALID WITH SUP 7
NWFSLR227	SUP 6 PROHIBITED FOR REQTYP
NWFSLR228	REQTYP DB PROHIBITED FOR TOS
NWFSLR229	LOCAL SERVICE PROVIDER AUTHORIZATION REQUIRED
NWFSLR230	
NWFSLR231	
NWFSLR232	
NWFSLR233	
NWFSLR234	
NWFSLR235	
NWFSLR236	
NWFSLR237	AENG IS PROHIBITED WHEN SUP NOT = 6
NWFSLR238	AENG CAN ONLY BE Y
NWFSLR239	
NWFSLR240	SPECIAL CHARACTERES NOT ALLOWED IN CC
NWFSLR241	NNSP IS ALPHA/NUMERIC
NWFSLR242	SPECIAL CHARACTERS IN SACTL CAN ONLY BE HYPHEN , SPACE
NWFSLR243	LST SPECIAL CHARACTERS CAN ONLY BE HYPHEN, SPACE
NWFSLR244	
NWFSLR245	PAGER WHEN A VIRGULE IS USED IT MUST BE PRECEDED AND FOLLOWED BY A NUMERIC
NWFSLR246	RORD CAN ONLY BE ALPHA/NUMERIC
NWFSLR247	LSP AUTH IS ALPHA NUMERIC
NWFSLR248	TOS POSITION 4 MUST EQUAL 1 OR 2
NWFSLR249	APPTIME DDDO IS PROHIBITED
NWFSLR250	AENG REQUIRED WHEN SUP = 6
NWFSLR251	LSO CANNOT CONTAIN SPECIAL CHARACTERS
NWFSLR252	
NWFSLR253	CHC IS PROHIBITED
NWFSLR254	REQTYP EB PROHIBITED FOR TOS
NWFSLR255	SLI VALID VALUE = S WHEN REQTYP = DB
NWFSLR256	SLI IS REQUIRED

**NWF Local Business Rules****Version: 9.30.20.1****LSR FORM****Effective: 05/01/2020**

Error Message Number	Error Message Text
NWFSLR257	
NWFSLR258	BI2 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK
NWFSLR259	EXP FIELD PROHIBITED
NWFSLR260	PROJECT REQUIRED WHEN EU.AAI = NEW ADDR
NWFSLR261	
NWFSLR262	SUSPEND ACTIVITY PROHIBITED
NWFSLR263	NC IS REQUIRED
NWFSLR264	NC IS REQUIRED
NWFSLR265	
NWFSLR266	NEW NETWORK SERVICE PROVIDER IDENTIFICATION REQUIRED
NWFSLR267	FIRST CHARACTER OF TYPE OF SERVICE MAY ONLY BE 1 OR 2 FOR WHOLESALE BROADBAND
NWFSLR268	ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED
NWFSLR269	ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED
NWFSLR270	WHOLESALE BROADBAND INVALID FOR REQTYP
NWFSLR271	SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B OR 7 FOR WHOLESALE BROADBAND
NWFSLR272	FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE S OR L FOR WHOLESALE BROADBAND
NWFSLR273	THIRD CHARACTER OF TYPE OF SERVICE MUST EQUAL B WITH STANDALONE BROADBAND
NWFSLR274	NETWORK CHANNEL CODE IS REQUIRED
NWFSLR275	
NWFSLR276	NETWORK CHANNEL CODE IS REQUIRED
NWFSLR277	NETWORK CHANNEL CODE IS REQUIRED
NWFSLR278	ACTIVITY PROHIBITED
NWFSLR279	LOCAL SERVICE PROVIDER AUTHORIZATION REQUIRED
NWFSLR280	BILLING ACCOUNT NUMBER 1 IS REQUIRED WHEN REQTYP = JB, ACT = N
NWFSLR281	ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED
NWFSLR282	ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED
NWFSLR283	ACCESS CUSTOMER NAME ABBREVIATION MAY ONLY BE 3 ALPHA CHARACTERS
NWFSLR284	BILL STATE MAY ONLY BE 2 ALPHA CHARACTERS
NWFSLR285	
NWFSLR286	BAN1 CANNOT CONTAIN SPECIAL CHARACTERS
NWFSLR287	ACT VALID VALUE = L IS PROHIBITED
NWFSLR288	PRODUCT ARRANGEMENT VALID VALUE = A, B, C, D
NWFSLR289	DFDT PROHIBITED
NWFSLR290	PRODUCT ARRANGEMENT NOT VALID FOR SERVICE TERRITORY
NWFSLR291	NEW NETWORK SERVICE PROVIDER IDENTIFICATION PROHIBITED
NWFSLR292	SECNCI IS PROHIBITED
NWFSLR293	TOS POSITION 3 INVALID FOR REQTYP
NWFSLR294	ADET VALID VALUE = A
NWFSLR295	DATE/TIME SENT MUST BE NUMERIC IN POSITION 1-8

**NWF Local Business Rules****Version: 9.30.20.1****LSR FORM****Effective: 05/01/2020**

Error Message Number	Error Message Text
NWFSLR296	BILLING ACCOUNT NUMBER IDENTIFIER 1 MUST BE D WHEN THE BAN1 OR BAN2 FIELD DOES NOT EQUAL THE END USER MLTN AND BI2 IS NOT EQUAL TO D
NWFSLR297	SUP VALID VALUE = 6 IS PROHIBITED
NWFSLR298	INVALID SPECIAL CHARACTERS
NWFSLR299	DL FORM REQUIRED
NWFSLR300	TOS INVALID FOR SERVICE TERRITORY
NWFSLR301	SUP VALID VALUE = 6, 7 IS PROHIBITED WHEN SDP = C, E, F, G, M
NWFSLR302	BI1 WITH DATA OF D REQUIRED WHEN REQTYP=BB and ACT=V, BI2 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED
NWFSLR303	BILLING ACCOUNT NUMBER 2 VALID VALUE OF N ONLY ALLOWED WHEN BI2 = D, P
NWFSLR304	BILLING ACCOUNT NUMBER 2 IS REQUIRED WHEN REQTYP = JB
NWFSLR305	BAN2 CANNOT CONTAIN SPECIAL CHARACTERS
NWFSLR306	EXP IS PROHIBITED
NWFSLR307	BI2 WITH VALUE OF D REQUIRED
NWFSLR308	BI2 WITH DATA OF D REQUIRED NORTH WHEN REQTYP=CB, BI1 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED
NWFSLR309	BI2 WITH DATA OF D REQUIRED WHEN REQTYP=BB and ACT=V, BI1 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED
NWFSLR310	BI2 WITH DATA OF D REQUIRED WHEN REQTYP = CBB1 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED
NWFSLR311	
NWFSLR312	BILLING ACCOUNT NUMBER IDENTIFIER 2 MUST BE D WHEN THE BAN1 OR BAN2 FIELD DOES NOT EQUAL THE END USER MLTN AND BI1 IS NOT EQUAL TO D
NWFSLR313	NEW NETWORK SERVICE PROVIDER PROHIBITED FOR REQTYP
NWFSLR314	TOS COMBINATION INVALID
NWFSLR315	NUMBER PORTABILITY DIRECTION PROHIBITED
NWFSLR316	PAGER PROHIBITED WHEN IMPCON NOT POPULATED
NWFSLR317	PAGER PROHIBITED WHEN ALT IMPCON NOT POPULATED
NWFSLR318	REMARKS REQUIRED WHEN SUP 3
NWFSLR319	VALUE OF CUS PROHIBITED WITH TOS SELECTED
NWFSLR320	DDDO NOT ALLOWED FOR REQTYP
NWFSLR321	ACT N PROHIBITED WITH SELECTED TOS
NWFSLR322	DFDT PROHIBITED
NWFSLR323	APPTRESID IS PROHIBITED
NWFSLR324	NOR VALID VALUE FOR POSITIONS 1 AND 2 IS 01-99 AND POSITIONS 3 AND 4 IS 02-99
NWFSLR325	ONSP IS REQUIRED
NWFSLR326	DSPTCH PROHIBITED
NWFSLR327	
NWFSLR328	CHC VALUE REQUIRES DFDT OF 1100PM
NWFSLR329	CHC VALUE REQUIRES DFDT OF 1145PM
NWFSLR330	APPTIME DDDO NOT ALLOWED FOR REQTYP

**NWF Local Business Rules****Version: 9.30.20.1****LSR FORM****Effective: 05/01/2020**

Error Message Number	Error Message Text
NWFSLR331	
NWFSLR332	ACT MUST = C,D,V
NWFSLR333	COMPANY CODE IS REQUIRED
NWFSLR334	EXP PROHIBITED FOR TOS VALUE
NWFSLR335	ACT MUST BE C, D OR N WHEN SLI IS C OR V
NWFSLR336	
NWFSLR337	
NWFSLR338	LOCATION QUANTITY MAY NOT EXCEED 3 NUMERIC CHARACTERS
NWFSLR339	
NWFSLR340	ACT MUST = N,C,D,R,V
NWFSLR341	ONSP IS PROHIBITED
NWFSLR342	
NWFSLR343	
NWFSLR344	APPTRESID NOT VALID FOR REQTYP
NWFSLR345	APPTRESID MUST NOT EXCEED 10 ALPHA NUMERIC CHARACTERS
NWFSLR346	DL FORM REQUIRED FOR REQTYP/ACT COMBINATION WHEN BI1 IS D
NWFSLR347	DL FORM REQUIRED FOR REQTYP/ACT COMBINATION WHEN BI2 IS D
NWFSLR348	ACTL REQUIRED WHEN CI IS E
NWFSLR349	DFDT IS REQUIRED WHEN CI IS E
NWFSLR350	EXP PROHIBITED WHEN CI IS E
NWFSLR351	IMPLEMENTATION CONTACT IS REQUIRED
NWFSLR352	NETWORK CHANNEL CODE IS REQUIRED
NWFSLR353	AGENCY AUTHORIZATION STATUS DATA MUST BE Y OR Z
NWFSLR354	INVALID AGENCY AUTHORIZATION STATUS VALUE FOR REQTYP
NWFSLR355	ACTL REQUIRED
NWFSLR356	ACTL IS PROHIBITED
NWFSLR357	
NWFSLR358	LSO IS REQUIRED
NWFSLR359	LSO PROHIBITED WHEN REQTYP=JB
NWFSLR360	TOS VALID VALUE FOR POSITION 1 = 3 IS PROHIBITED WHEN REQTYP = DB
NWFSLR361	
NWFSLR362	TOS POSITION 4 MUST EQUAL N OR HYPHEN FOR RESALE COIN SERVICE
NWFSLR363	
NWFSLR364	AC IS PROHIBITED
NWFSLR365	AC IS PROHIBITED WHEN LNA = T
NWFSLR366	AC VALID VALUE = A
NWFSLR367	SPEC IS PROHIBITED FOR REQTYP
NWFSLR368	NC IS PROHIBITED FOR REQTYP
NWFSLR369	NC IS REQUIRED
NWFSLR370	RPON IS PROHIBITED

**NWF Local Business Rules****Version: 9.30.20.1****LSR FORM****Effective: 05/01/2020**

Error Message Number	Error Message Text
NWFLSR371	LSP AUTH IS REQUIRED
NWFLSR372	NPDI IS REQUIRED
NWFLSR373	NPDI VALID VALUE = B, D
NWFLSR374	BI1 IS PROHIBITED FOR REQTYP
NWFLSR375	BI2 IS PROHIBITED FOR REQTYP
NWFLSR376	ACNA IS REQUIRED
NWFLSR377	
NWFLSR378	BILLNM IS PROHIBITED FOR REQTYP
NWFLSR379	SBILLNM IS PROHIBITED FOR REQTYP
NWFLSR380	STREET IS PROHIBITED FOR REQTYP
NWFLSR381	FLOOR IS PROHIBITED FOR REQTYP
NWFLSR382	ROOM/MAIL STOP IS PROHIBITED FOR REQTYP
NWFLSR383	CITY IS PROHIBITED FOR REQTYP
NWFLSR384	STATE IS PROHIBITED FOR REQTYP
NWFLSR385	ZIP IS PROHIBITED FOR REQTYP
NWFLSR386	BILLCON IS PROHIBITED FOR REQTYP
NWFLSR387	TEL NO IS PROHIBITED FOR REQTYP
NWFLSR388	IMPCON IS REQUIRED
NWFLSR389	IMPCON IS REQUIRED
NWFLSR390	ALT IMPCON IS PROHIBITED FOR REQTYP
NWFLSR391	DDDO MUST BE LESS THAN OR EQUAL TO DDD
NWFLSR392	CHC IS REQUIRED FOR REQTYP/ACT
NWFLSR393	CHC IS PROHIBITED FOR REQTYP/ACT
NWFLSR394	
NWFLSR395	
NWFLSR396	PRODUCT ARRANGEMENT IS REQUIRED FOR REQTYP
NWFLSR397	
NWFLSR398	ACT INVALID FOR REQTYP
NWFLSR399	
NWFLSR400	ACT VALID VALUE = S, T IS PROHIBITED FOR TOS
NWFLSR401	ONSP IS REQUIRED FOR NPI
NWFLSR402	ONSP IS PROHIBITED FOR NPI
NWFLSR403	ONSP IS REQUIRED FOR NPI
NWFLSR404	ONSP IS PROHIBITED FOR NPI
NWFLSR405	ACTL IS REQUIRED FOR REQTYP/ACT
NWFLSR406	ACTL IS REQUIRED FOR REQTYP/ACT
NWFLSR407	LST IS REQUIRED FOR REQTYP/ACT
NWFLSR408	TOS VALID VALUE FOR POSITION 3 = F, M
NWFLSR409	TOS VALID VALUE FOR POSITION 3 = HYPHEN
NWFLSR410	

**NWF Local Business Rules****Version: 9.30.20.1****LSR FORM****Effective: 05/01/2020**

Error Message Number	Error Message Text
NWFLSR411	SPEC IS REQUIRED FOR REQTYP/ACT
NWFLSR412	SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S
NWFLSR413	NC IS REQUIRED FOR LTOS
NWFLSR414	NC IS REQUIRED
NWFLSR415	NC IS REQUIRED
NWFLSR416	NPDI IS REQUIRED FOR NPI
NWFLSR417	NPDI VALID VALUE = B, D
NWFLSR418	NPDI IS REQUIRED FOR NPI
NWFLSR419	NPDI VALID VALUE = B, D
NWFLSR420	NPDI IS REQUIRED FOR NPI
NWFLSR421	NPDI VALID VALUE = B, D
NWFLSR422	NPDI IS REQUIRED FOR NPI
NWFLSR423	NPDI VALID VALUE = B, D
NWFLSR424	NPDI IS PROHIBITED FOR NPI
NWFLSR425	NPDI IS PROHIBITED FOR NPI
NWFLSR426	NPDI IS PROHIBITED FOR NPI
NWFLSR427	NPDI IS PROHIBITED FOR NPI
NWFLSR428	NPDI IS PROHIBITED FOR NPI
NWFLSR429	IMPCON IS REQUIRED FOR LNA
NWFLSR430	IMPCON IS REQUIRED FOR LNA
NWFLSR431	IMPCON IS REQUIRED FOR LNA
NWFLSR432	IMPCON IS REQUIRED FOR TNA
NWFLSR433	IMPCON IS REQUIRED FOR LNA
NWFLSR434	IMPCON IS REQUIRED FOR LNA
NWFLSR435	DATE/TIME SENT SECONDS MUST BE 00-59
NWFLSR436	APPOINTMENT TIME MAY ONLY BE 08:00:00-12:00:00, 13:00:00-17:00:00
NWFLSR437	APPOINTMENT TIME MAY ONLY BE 08:00:00-12:00:00, 08:00:00-11:00:00, 13:00:00-17:00:00, 15:00:00-19:00:00
NWFLSR438	ANALOG LOOP PRODUCT NOT AVAILABLE
NWFLSR439	ANALOG LOOP PRODUCT NOT AVAILABLE
NWFLSR440	
NWFLSR441	
NWFLSR442	
NWFLSR443	
NWFLSR444	
NWFLSR445	DATE/TIME SENT MUST BE 16 CHARACTERS
NWFLSR446	DATE/TIME SENT MONTH MUST BE 01-12
NWFLSR447	DATE/TIME SENT DAY MUST BE 01 – 31
NWFLSR448	DATE/TIME SENT HOUR MUST BE 01-24
NWFLSR449	DATE/TIME SENT MINUTES MUST BE 00-59
NWFLSR450	BI1 AND BI2 MAY NOT APPEAR ON THE SAME ORDER

**NWF Local Business Rules****Version: 9.30.20.1****LSR FORM****Effective: 05/01/2020**

Error Message Number	Error Message Text
NWFSLR451	BI2 AND BI1 MAY NOT APPEAR ON THE SAME ORDER
NWFSLR452	RESEND NOT SUPPORTED
NWFSLR453	SUP IS REQUIRED
NWFSLR454	VER MUST BE INCREMENTED ON SUP ORDERS
NWFSLR455	
NWFSLR456	BAN1 IS REQUIRED WHEN BI1 IS PRESENT
NWFSLR457	BAN2 IS REQUIRED WHEN BI2 IS PRESENT
NWFSLR458	BI1 IS REQUIRED
NWFSLR459	BI2 IS REQUIRED
NWFSLR460	SUP IS PROHIBITED ON A BILLING COMPLETION OR PROVISIONING COMPLETION.
NWFSLR461	REQTYP CANNOT CHANGE ON SUPPLEMENT ORDERS
NWFSLR462	ACT CANNOT CHANGE ON SUPPLEMENT ORDERS
NWFSLR463	SUP IS PROHIBITED ON CANCEL ORDERS
NWFSLR464	NRI PROHIBITED
NWFSLR465	ACTL REQUIRED
NWFSLR466	
NWFSLR467	ATN MUST BE 10 DIGIT NUMERIC
NWFSLR468	ACT W PROHIBITED FOR REQTYP DB
NWFSLR469	TOS POSITION 4 MUST EQUAL 2 FOR 4 WIRE LOOP
NWFSLR470	IMPLEMENTATION CONTACT IS REQUIRED
NWFSLR471	EMAIL REQUIRED
NWFSLR472	
NWFSLR473	DSPTCH VALID VALUE = Y
NWFSLR474	
NWFSLR475	PROJECT REQUIRED
NWFSLR476	
NWFSLR477	
NWFSLR478	ACT W PROHIBITED
NWFSLR479	
NWFSLR480	ACT J PROHIBITED FOR REQTYP
NWFSLR481	INVALID ACT FOR REQTYP
NWFSLR482	
NWFSLR483	AN PROHIBITED
NWFSLR484	AN VALID VALUE = 10 DIGIT NUMERIC
NWFSLR485	ADET PROHIBITED FOR REQTYP
NWFSLR486	SUP 3 REQUIRES REMARKS
NWFSLR487	SUP = 4 PROHIBITED
NWFSLR488	SUP = 5 PROHIBITED
NWFSLR489	
NWFSLR490	

**NWF Local Business Rules****Version: 9.30.20.1****LSR FORM****Effective: 05/01/2020**

Error Message Number	Error Message Text
NWFSLR491	SUP INVALID FOR REQTYP
NWFSLR492	SUP VALID VALUE = 1,2,3 WHEN REQTYP=CB
NWFSLR493	SCA PROHIBITED
NWFSLR494	SACTL REQUIRED
NWFSLR495	POSITIONS 1-8 OF SACTL MUST = POSITIONS 1-8 OF ACTL
NWFSLR496	LST REQUIRED
NWFSLR497	LST PROHIBITED
NWFSLR498	LSO REQUIRED
NWFSLR499	
NWFSLR500	
NWFSLR501	LSO REQUIRED
NWFSLR502	LSO MUST BE NUMERIC
NWFSLR503	LSO REQUIRED
NWFSLR504	
NWFSLR505	
NWFSLR506	
NWFSLR507	LSO PROHIBITED
NWFSLR508	TOS POSITION 2 INVALID
NWFSLR509	TOS POSITION 3 INVALID
NWFSLR510	
NWFSLR511	TOS POSITION 4 INVALID
NWFSLR512	TOS POSITION 2 = HYPHEN PROHIBITED IF REQTYP DOES NOT = JB
NWFSLR513	TOS POSITION 3 MUST = M WHEN REQTYP=FB
NWFSLR514	DL FORM PROHIBITED WHEN POSITION 2 OF TOS=R
NWFSLR515	TOS POSITION 2 MUST = A,D,E,J,P,Q WHEN HGI.HA IS POPULATED
NWFSLR516	TOS INVALID
NWFSLR517	TOS POSITION 3 CANNOT = M WHEN REQTYP=AB AND TOS POSITION 2 = R
NWFSLR518	TOS POSITION 2 MUST = J,Q WHEN REQTYP=NB
NWFSLR519	TOS POSITION 1 VALUE MUST = 1 WHEN AC=C
NWFSLR520	TOS POSITION 1 VALUE MUST = 2 WHEN AC=B
NWFSLR521	
NWFSLR522	
NWFSLR523	DL FORM REQUIRED
NWFSLR524	ACT PROHIBITED WITH REQTYP
NWFSLR525	LSP AUTH NAME REQUIRED
NWFSLR526	LSP AUTH NAME PROHIBITED
NWFSLR527	CUST REQUIRED
NWFSLR528	CUST PROHIBITED
NWFSLR529	EMAIL CANNOT EXCEED 60 CHARACTERS

**NWF Local Business Rules****Version: 9.30.20.1****LSR FORM****Effective: 05/01/2020**

Error Message Number	Error Message Text
NWFSLR530	FAX NO MUST BE 10 DIGIT NUMERIC
NWFSLR531	
NWFSLR532	AN REQUIRED
NWFSLR533	ACT PROHIBITED WITH REQTYP
NWFSLR534	NC IS REQUIRED
NWFSLR535	

**APPENDIX B – CHANGE CONTROL LOG**

DATE	FIELD	REVISION NUMBER	CHANGE
12/01/2019	All	N/A	Initial Version 9.30.20.1 – NWF Local Business Rules
02/20/2020	All	N/A	Add Production Effective Date to Header
03/16/2020	n/a	n/a	Rebranded as Ziply Fiber
06/02/2020	NC – 062	Type 1, Severity 2 Change #PM-4495 Effective July 19, 2020 Reference NWF-20-0010	Add New Rules to Prohibit New and Migration Activity for All UNE Analog Loop:  17. If populated and vv = LX-- and NC/NCI Combination is Analog Loop, and (REQTYP = AB/BB and LS.LNA = N, V or LSNP.LNA = V) and Service Area Flag = F, return error code NWFSLR438 ANALOG LOOP PRODUCT NOT AVAILABLE  18. If populated and vv = LX-- and NC/NCI/SECNCI Combination is Analog Loop, and (REQTYP = AB/BB and LS.LNA = N, V or LSNP.LNA = V) and Service Area Flag = L, return error code NWFSLR439 ANALOG LOOP PRODUCT NOT AVAILABLE